$egin{aligned} Research in \ A stronomy and \ A strophysics \end{aligned}$

An approximately analytical solution method for the cable-driven parallel robot in FAST

Jia-Ning Yin^{1,2}, Peng Jiang¹ and Rui Yao¹

- ¹ National Astronomical Observatories, Chinese Academy of Sciences, Beijing 100101, China; *pjiang@nao.cas.cn*, *ryao@nao.cas.cn*
- ² School of Astronomy and Space Science, University of Chinese Academy of Sciences, Beijing 100049, China; *yinjianing17@mails.ucas.ac.cn*

Received 2020 July 14; accepted 2020 August 15

Abstract The Five-hundred-meter Aperture Spherical radio Telescope (FAST) is the largest single-dish aperture telescope with a cable-driven parallel robot introduced to achieve the highest sensitivity in the world. However, to realize the high-precision, mechanical equations of such a robot are always complicated, so that it is difficult to achieve real-time control by the traditional iterative method. In this regard, this paper proposes an approximately analytical solution method, which uses the approximately linear relationship between the main parameters of FAST to bypass some iterations. With the coefficients of the relationship extracted, static or quasi-static mechanical equations can be analytically solved. In this paper's example, this method saves at least 90% of the calculating time and the calculated values are consistent with the experimental data. With such huge efficiency improvements, real-time and high-precision control of the FAST will no longer be difficult work. Besides, all the work in this paper is expected to be used in the FAST.

Key words: telescopes — methods: analytical — instrumentation: miscellaneous

1 INTRODUCTION

The Five-hundred-meter Aperture Spherical radio Telescope (FAST) is the largest single-dish aperture telescope with the highest sensitivity in the world. To achieve it, the cable-driven parallel robot (CDPR) was introduced (Tang & Yao 2011), which is mainly composed of some cables and the end effector connected to the cables. As shown in Figure 1, there are six cables connected to the feed cabin in the center. The translation and rotation of the feed cabin can be controlled by adjusting the length of the cables. This kind of robot not only has the advantages of high precision, high speed and high load, but also has a large working space. Therefore, CDRP is FAST's perfect solution to solve the wide range movement of the feed cabin. Besides, CDPR is not only used in the FAST, but also in many fields. For example, Kawamura et al. (1995) developed a robot for transport, called Falcon; Abbasnejad et al. (2016) designed a robot for gait rehabilitation; Bruckmann et al. (2012) also invented a robot related to storage technology, and so on.

According to the study by Ming & Higuchi (1994), CDPRs can be divided into three categories. Firstly, it is assumed that the number of cables is m and the degree of freedom of the end effector is n. Thus, if m = n + 1, the system dynamics equation has a definite solution, so it is called a completely restrained positioning mechanism (CRPM). If m > n + 1, the driving forces of the cables are redundant, and the system dynamic equation has no definite solution, which is called a redundantly restrained positioning mechanism (RRPM). If m < n+1, the system constraints are insufficient. It is called an incompletely rested positioning mechanism (IRPM), which need to rely on external forces to maintain the stability of the mechanism. As mentioned above, FAST's feed cabin is controlled by six cables. The degree of freedom of the feed cabin is 6. Obviously, FAST is IRPM, so it needs to be stabilized by gravity.

The research on the statics or dynamics of CDPRs must focus on the theoretical model of the cable, which determines the mechanical properties of the entire system. In this regard, many scholars use the straight line as the cable model (Cui et al. 2019; Gonzalez-Rodriguez et al.

2017; Vafaei et al. 2011; Kawamura et al. 2000; Khosravi & Taghirad 2013), only considering the elastic deformation of the axial direction of the cables and ignoring the weight influence of the cables. This model has analytical expressions and can be solved fast, so it is ideal for CDPRs with a small span. However, as for the case of FAST with a large span, the weight influence of the cables cannot be ignored, and the cable forces are extremely sensitive to the length of the cables. Obviously, the straight-line model is no longer applicable. In this regard, other scholars (Kozak et al. 2006; Merlet 2019; Yuan et al. 2015) introduced the catenary model derived by Irvine (1981). It has been verified by Riehl et al. (2010) that the catenary model has high accuracy. However, at the same time, the catenary model needs to be solved by iteration due to its complex nonlinear nature. In order to optimize the iteration time, Merlet (2019) proposed to simplify the iteration by changing variables based on the catenary model. In contrast, Ferravante et al. (2019) abandoned the catenary model and calculated it through finite element method.

However, by now the modeling and solving efficiency of CDPRs has been low, because it is inefficient to use the catenary model in real-time control. For example, the CDPR control of FAST has to adopt the closed-loop method to save time, which is not conducive to increasing its control precision. This means that the previous methods cannot achieve real-time and high-precision control at the same time. This paper precisely has a breakthrough at this point.

Based on the static catenary model, with FAST as the research object, this paper proposes an approximately analytical solution method. This method uses an approximately linear relationship between the main parameters for solution, which is found by numerical analysis. After the coefficients of the relationship is extracted, static or quasi-static equations of the CDPR can be simplified and solved analytically, which greatly improves the calculation efficiency of FAST.

The approximately analytical solution method for static or quasi-static equations of CDPRs will be introduced in detail. For the convenience of description, the following approximately analytical solution method is abbreviated as the AAS method. Firstly, the static equations of the FAST cable model will be established, which is the catenary model, and then the relationship between the mechanism parameters and the solution parameters will be analyzed. With this relationship, the CDPR's equations can be simplified and solved analytically. Finally, there are some example comparisons between the AAS method and the iteration method. The solution accuracy and time of the AAS method are obtained. Also, there is an experiment that compares the calculated values of the AAS method with the measured values during the actual operation of FAST to test the rationality of the AAS method.

2 COORDINATE SYSTEM AND PARAMETERS

This paper takes the FAST as the research object, which controls the movement and attitude of the central feed cabin by pulling six cables through six towers. It is a typical CDPR, as shown in Figure 1.

Firstly, the global Cartesian coordinate system O-xyz is established. The lower vertex of the spherical reflection surface is the origin O. The direction from the origin O towards the tower B1 is the x-axis and the upward direction perpendicular to the ground is z-axis, as shown in Figure 1.

Simultaneously, the local Cartesian coordinate system O' - x'y'z' of the feed cabin is also established. The center of the anchor points plane of the feed cabin is the origin O'. The local Cartesian coordinate system is bound to the feed cabin and rotates with the attitude of the feed cabin. When the feed cabin is in the center, the local Cartesian coordinate system is totally parallel to the global Cartesian coordinate system.

Wherein, the anchor points A[i] of the feed cabin are evenly distributed on the circle with the radius r_a . The center of the circle just is the origin O' of the local Cartesian coordinate system. The six towers B[i] are evenly distributed on the circle with the radius r_b and each tower height is H. Every two towers are connected to an anchor point by two cables, as shown in Figure 2.

Then, the local Cartesian coordinate system O'' - x''y''z'' of every cable is established with the corresponding anchor point A[i] as the origin O''. For the convenience of calculation, these coordinate systems are always required to be parallel with the global Cartesian coordinate system. In these coordinate systems, the coordinates of the cable lower and upper end are set to the origin O'' and (X[i], Y[i], Z[i]), respectively, as shown in Figure 3. So, the following geometric relationship can be derived:

$$\begin{bmatrix} X[i] \\ Y[i] \\ Z[i] \end{bmatrix} = \begin{bmatrix} r_b \cos(\pi(i-1)/3) \\ r_b \sin(\pi(i-1)/3) \\ H \end{bmatrix} - (\mathbf{R} \cdot \boldsymbol{r_A}[i] + \boldsymbol{r_p}), \ (1)$$

where $r_{A}[i]$ is given by

$$\boldsymbol{r_A}[i] = \begin{bmatrix} r_a \cos(\pi/6 + 2\pi \lfloor (i-1)/2 \rfloor/3) \\ r_a \sin(\pi/6 + 2\pi \lfloor (i-1)/2 \rfloor/3) \\ 0 \end{bmatrix}.$$
 (2)

Among the formulas above, [i] represents the *i*-th cable corresponding to the *i*-th tower, **R** is the rotation matrix of the local Cartesian coordinate system O' - x'y'z' of the feed cabin relative to the global Cartesian coordinate



Fig. 1 Schematic diagram of the FAST coordinate system.



Fig. 2 Schematic diagram of the FAST structure.

system O - xyz, $r_A[i]$ is the position vector of the anchor point connected to the *i*-th cable in the local Cartesian coordinate system O' - x'y'z' of the feed cabin, $\lfloor \rfloor$ is a mathematical symbol, which means rounding down, and r_p is the position vector of the origin O' of the local Cartesian coordinate system of the feed cabin in the global Cartesian coordinate system.

For the specific values of the above and other necessary parameters, please refer to Table 1.

3 CABLE MODEL AND DERIVATION

The cable model of this paper is the static catenary model, and the coordinates are shown in Figure 3. Because the equations of the six cables' model are the same, for the convenience, the cable number *i* is generally not specified in this section unless it is necessary. Let the forces in the three directions of the cable lower end be F_x , F_y and F_z , respectively, as shown in Figure 4.

Where the length of the cable is p, T is the cable force at that point and s is the length of this cable without tension, which is the original length of the cable. The length of the cable p and the cable force T are both the functions of the original length s. In addition, let ρ be the linear density when tension is not applied to the cable, and



Fig. 3 Local coordinate system of the cable.

g be the acceleration of gravity. Then, according to the equilibrium equation, the following can be obtained:

$$T\frac{\mathrm{d}x}{\mathrm{d}p} + F_x = 0\,,\tag{3}$$

$$T\frac{\mathrm{d}y}{\mathrm{d}p} + F_y = 0\,,\tag{4}$$

$$T\frac{\mathrm{d}z}{\mathrm{d}p} + F_z + \rho gs = 0\,,\tag{5}$$

where T is given by

$$T(s) = \sqrt{F_x^2 + F_y^2 + (F_z + \rho g s)^2} \,. \tag{6}$$

Symbol	Significance	Specific value(unit)
r_a	Feed cabin anchor point distribution radius	7.5(m)
r_b	Tower distribution radius	300(m)
H	Tower height	270(m)
E	Cable elastic modulus	1.6×10^{11} (Pa)
A	Cable cross-sectional area with the cable not stressed	$1.541 \times 10^{-4} (m^2)$
ρ	Cable linear density with the cable not stressed	$11.718(\text{kg m}^{-1})$
g	the acceleration of gravity	$-9.8(m s^{-2})$
r_e	Position vector from the origin O' of the feed cabin local coordinate system to the feed cabin mass center	$[0, 0, 0.5]^{\mathrm{T}}(\mathrm{m})$
m	Feed cabin mass	30000(kg)
R	Reflecting surface radius	300(m)
D	Reflecting surface projection diameter	500(m)

 Table 1 Specific Values of Parameters



Fig. 4 Schematic diagram of the cable force.



Fig. 6 F_z changes with F_l .

Then, according to the elastic equation, there is

$$T(s) = EA\left(\frac{\mathrm{d}p}{\mathrm{d}s} - 1\right),\tag{7}$$

where EA is the cable elastic modulus multiplied by the cross-sectional area when tension is not applied to the cable.

Combined with Equations (3)–(7), the following can be obtained:

$$\frac{\mathrm{d}x}{\mathrm{d}s} = -\frac{F_x}{EA} \left(1 + \frac{EA}{\sqrt{F_x^2 + F_y^2 + (F_z + \rho g s)^2}} \right), \quad (8)$$

$$\frac{\mathrm{d}y}{\mathrm{d}s} = -\frac{F_y}{EA} \left(1 + \frac{EA}{\sqrt{F_x^2 + F_y^2 + (F_z + \rho g s)^2}} \right), \quad (9)$$

$$\frac{\mathrm{d}z}{\mathrm{d}s} = -\frac{F_z + \rho gs}{EA} \left(1 + \frac{EA}{\sqrt{F_x^2 + F_y^2 + (F_z + \rho gs)^2}} \right). \tag{10}$$

According to the boundary conditions x(0) = 0, y(0) = 0 and z(0) = 0, shown in Figure 4, the solutions are Equations (11)–(13):

$$\begin{aligned} x(s) &= -\frac{F_x}{EA}s - \frac{F_x}{\rho g} \left[\sinh^{-1} \left(\frac{F_z + \rho gs}{\sqrt{F_x^2 + F_y^2}} \right) \right. \\ &- \sinh^{-1} \left(\frac{F_z}{\sqrt{F_x^2 + F_y^2}} \right) \right] , \end{aligned} \tag{11} \\ y(s) &= -\frac{F_y}{EA}s - \frac{F_y}{\rho g} \left[\sinh^{-1} \left(\frac{F_z + \rho gs}{\sqrt{F_x^2 + F_y^2}} \right) \right. \\ &- \sinh^{-1} \left(\frac{F_z}{\sqrt{F_x^2 + F_y^2}} \right) \right] , \end{aligned} \tag{12} \\ &- \sinh^{-1} \left(\frac{F_z}{\sqrt{F_x^2 + F_y^2}} \right) \right] , \end{aligned} \tag{12} \\ z(s) &= -\frac{F_z}{EA}s - \frac{\rho g}{2EA}s^2 \\ &- \frac{1}{\rho g} \left[\sqrt{F_x^2 + F_y^2 + (F_z + \rho gs)^2} \\ &- \sqrt{F_x^2 + F_y^2 + F_z^2} \right] . \end{aligned}$$

Let the original length of the whole cable be s_0 , and know that the coordinates of the cable upper end are (X, Y, Z), then Equations (14)–(16) can be obtained, where the unknown variables are F_x , F_y , F_z and s_0 :

$$X = -\frac{F_x}{EA}s_0 - \frac{F_x}{\rho g} \left[\sinh^{-1} \left(\frac{F_z + \rho g s_0}{\sqrt{F_x^2 + F_y^2}} \right) - \sinh^{-1} \left(\frac{F_z}{\sqrt{F_x^2 + F_y^2}} \right) \right],$$
(14)

$$Y = -\frac{F_y}{EA}s_0 - \frac{F_y}{\rho g} \left[\sinh^{-1} \left(\frac{F_z + \rho g s_0}{\sqrt{F_x^2 + F_y^2}} \right) - \sinh^{-1} \left(\frac{F_z}{\sqrt{F_x^2 + F_y^2}} \right) \right],$$
(15)

$$Z = -\frac{F_z}{EA}s_0 - \frac{\rho g}{2EA}s_0^2 - \frac{1}{\rho g}\left[\sqrt{F_x^2 + F_y^2 + (F_z + \rho g s_0)^2} - \sqrt{F_x^2 + F_y^2 + F_z^2}\right].$$
(16)

In the local coordinate system of the cable, let the resultant force on the O'' - x''y'' plane be $F_l = \sqrt{F_x^2 + F_y^2}$. Refer to Equations (14) and (15) and the following can be obtained:

$$F_x = \frac{-X}{\sqrt{X^2 + Y^2}} F_l \,, \tag{17}$$

$$F_y = \frac{-Y}{\sqrt{X^2 + Y^2}} F_l \,. \tag{18}$$

If the cable is straight, the cable length must be $\sqrt{X^2 + Y^2 + Z^2}$, and let $k = \sqrt{X^2 + Y^2 + Z^2}$. Because EA is of a large magnitude, the actual original cable length s_0 generally does not exceed the interval [0.95k, 1.05k]. Now with the FAST as the object, when the feed cabin is at a random position, by solving the numerical value of Equations (14)–(16), the change trends of F_l and F_z can be obtained with the cable length s_0 in the interval above, as shown in Figure 5.

There is an obvious feature in Figure 5. When the cable length shrinks to a certain value, the sensitivity of the cable force to the original length s_0 of the whole cable rises rapidly, but later it quickly remains stable. This is a complex form of function, which leads to difficulties in iteration. However, it is observed that the trends of F_l and F_z are highly consistent, so another figure of F_z on F_l is considered, as shown in Figure 6.

Obviously, F_z has a strong linear relationship with F_l , which is much simpler than F_z 's case on s_0 . After a

massive calculation, taking all the positions of the feed cabin's working space in Figure 2, it is found that the minimum value of the determination coefficient of this linear relationship is 0.99999999750919, so the linear relationship can be considered always to exist and be independent of the original length s_0 of the whole cable.

However, it should be noted that the linear relationship is related to the spatial structure and physical properties of the research object. For each research object, the relationship needs to be verified by numerical calculation in the CDPR's workspace. In this paper, FAST has such a good linear relationship.

Therefore, in the actual calculation, it is only necessary to take two kinds of s_0 in Equations (14)–(16). For example, $s_0 = 0.99k$ and $s_0 = 1.01k$. Then, the linear expression of F_z about F_l can be determined:

$$F_z = aF_l + b. (19)$$

However, FAST has six cables, so there are six groups of Equations (14)–(16), which means there are a total of 24 unknown variables with only 18 equations. So, another six equations are needed to solve the equation. Fortunately, the feed cabin balance equations just meet this:

$$-\sum_{i=1}^{6} F_x[i] = 0, \qquad (20)$$

$$-\sum_{i=1}^{6} F_y[i] = 0, \qquad (21)$$

$$mg - \sum_{i=1}^{6} F_z[i] = 0,$$
 (22)

$$\sum_{i=1}^{6} \left(-r_y[i]F_z[i] + r_z[i]F_y[i] \right) + mge_y = 0, \quad (23)$$

$$\sum_{i=1}^{6} \left(r_x[i] F_z[i] - r_z[i] F_x[i] \right) + mge_x = 0, \qquad (24)$$

$$\sum_{i=1}^{6} \left(-r_x[i]F_y[i] + r_y[i]F_x[i] \right) = 0, \qquad (25)$$

where [i] represents the *i*-th cable and *m* is the feed cabin mass, and $[r_x[i], r_y[i], r_z[i]]^T = \mathbf{R} \cdot \mathbf{r}_{\mathbf{A}}[i]$. e_x and e_y are the projection distances of the position \mathbf{r}_e shown in Table 1, respectively in the *x*-axis direction and the *y*-axis direction.

Substitute Equations (17)–(19) into Equations (20)–(25), which can be reduced to the following matrix form:

$$\mathbf{A} \cdot \boldsymbol{F}_{\boldsymbol{l}} = \boldsymbol{B} \,, \tag{26}$$

where **A**, F_l and **B** are given by Equations (27)–(29).

$$\mathbf{A} = \begin{bmatrix} \frac{X[1]}{\sqrt{X[1]^2 + Y[1]^2}} & \cdots & \frac{X[6]}{\sqrt{X[6]^2 + Y[6]^2}} \\ \frac{Y[1]}{\sqrt{X[1]^2 + Y[1]^2}} & \cdots & \frac{Y[6]}{\sqrt{X[6]^2 + Y[6]^2}} \\ a[1] & \cdots & a[6] \\ \frac{r_z[1]Y[1] + r_y[1]a[1]\sqrt{X[1]^2 + Y[1]^2}}{\sqrt{X[1]^2 + Y[1]^2}} & \cdots & \frac{r_z[6]Y[6] + r_y[6]a[6]\sqrt{X[6]^2 + Y[6]^2}}{\sqrt{X[6]^2 + Y[6]^2}} \\ \frac{r_z[1]X[1] + r_x[1]a[1]\sqrt{X[1]^2 + Y[1]^2}}{\sqrt{X[1]^2 + Y[1]^2}} & \cdots & \frac{r_z[6]X[6] + r_x[6]a[6]\sqrt{X[6]^2 + Y[6]^2}}{\sqrt{X[6]^2 + Y[6]^2}} \\ \frac{r_y[1]X[1] - r_x[1]Y[1]}{\sqrt{X[1]^2 + Y[1]^2}} & \cdots & \frac{r_y[6]X[6] - r_x[6]Y[6]}{\sqrt{X[6]^2 + Y[6]^2}} \\ \frac{r_y[1]X[1] - r_x[1]Y[1]}{\sqrt{X[1]^2 + Y[1]^2}} & \cdots & \frac{r_y[6]X[6] - r_x[6]Y[6]}{\sqrt{X[6]^2 + Y[6]^2}} \\ \end{bmatrix} \\ \mathbf{F_l} = \begin{bmatrix} F_l[1] \ F_l[2] \ F_l[3] \ F_l[4] \ F_l[5] \ F_l[6] \end{bmatrix}^{\mathrm{T}} . \tag{28}$$

$$\boldsymbol{B} = \begin{bmatrix} 0 \ 0 \ (mg - \sum_{i=1}^{6} b[i]) \ (mge_y - \sum_{i=1}^{6} r_y[i]b[i]) \ (mge_x - \sum_{i=1}^{6} r_x[i]b[i]) \ 0 \end{bmatrix}^{\mathrm{T}}.$$
 (29)

Therefore, it is easy to get the resultant force F_l of each cable on the respective O'' - x''y'' plane, which is also on the global plane O - xy, because the local Cartesian coordinate system O'' - x''y''z'' of each cable is parallel with the global Cartesian coordinate system O - xyz.

$$F_l = \mathbf{A}^{-1} \cdot \boldsymbol{B} \,. \tag{30}$$

Then according to Equations (17)–(19), the forces F_x , F_y and F_z of the lower end of each cable can be obtained.

It can be seen that the form of Equation (26) is very similar to the straight-line model's. The difference is in the matrix **A** and the array **B**. New parameters a[i]and b[i] are introduced, so that the expression not only corresponds to the geometric relationship, but also the mechanical parameters of the cable and the attitude of the feed cabin. In a sense, a[i] and b[i] are equivalent to the correction parameters used to correct the error between the linear model and the catenary model, which depend on the mechanical and geometric properties of the entire system.

So far, the process of solving the static or quasistatic equations of CDPRs by the approximately analytical solution method (AAS) has been very clear, see Figure 7 for details.

Obviously, the process can solve all the required parameters just in one loop. Compared to the traditional iterative operation, there is no step of loop calculation and selecting step size. For this reason, the AAS method can greatly improve the static solution speed of the CDPR in FAST.

4 EXAMPLES AND COMPARISON

In this section, a comparison between the approximately analytical solution method and the traditional iterative method will be shown, based on MAPLE programming. Under the condition of the same feed cabin trajectory, the same static or quasi-static equations of FAST's CDPR are solved by the two methods respectively. Finally, the cable force values of the lower ends of the six cables and the time required for the solution will be compared.

(1) The feed cabin is hovering at the lower vertex (0, 0, 140 m) of the working area, which means the feed cabin remains stationary at point K1 in Figure 8. Because the feed cabin is in the center, according to the principle of symmetry, the six cables should be subjected to the same force. Table 2 shows the calculation results.

In the case of high symmetry, the relative error between the AAS and iteration method is very small. It can be considered that the two methods have similar accuracy, but the time cost of AAS is obviously much less than the iteration method.

(2) The feed cabin is hovering at a point that is not specific in the working area, such as the point K^2 (42.65 m, 33.73 m, 149.52 m), shown in Figure 8. This point is closer to the B1, B2, B3 and B6 towers, so the cable tension of the four towers should be larger. Table 3 shows the calculation results.

In the case of no special position, the relative error of AAS with the iteration is still very small. It can be considered that the two methods have similar accuracy. AAS is obviously much faster than the iteration.

(3) The feed cabin slowly moves in a straight path from G1 (50 m, 0, 150 m) to G2 (-50 m, 0, 150 m), as shown in the blue line in Figure 8. Because the feed cabin's movement is very slow, it can be considered that the system is quasi-static during the whole process. In the solution, the trajectory is evenly divided into 101 nodes. The static equations of the CDPR of each node are solved by the two



Fig. 7 Process of approximately analytical solution method.



Fig. 8 Schematic diagram of the feed cabin trajectory for comparisons between the AAS and iteration method.

Table 2 Comparison with the Feed Cabin Hovering at the Lower Vertex of the Workspace

Method	Cable force at the lower end/kN						
Wiethod	1	2	3	4	5	6	
Iteration	159.1762	159.1670	159.1587	159.1587	159.1670	159.1762	4.984
AAS	158.9899	158.9808	158.9725	158.9725	158.9808	158.9899	0.938
Relative error	0.1170%	0.1170%	0.1170%	0.1170%	0.1170%	0.1170%	łł

Method	Cable force at the lower end/kN						
Wiethou	1	2	3	4	5	6	11110 00503
Iteration	181.5009	190.7462	200.7024	119.5531	119.8599	191.0149	4.594
AAS	181.3146	190.5478	200.6720	119.3861	119.6912	190.9943	0.969
Relative error	0.1026%	0.1040%	0.0151%	0.1397%	0.1407%	0.0108%	łł

Table 3 Comparison with the Feed Cabin Hovering at a Point that is not Specific

Table 4 Comparison with the Feed Cabin Moving Slowly in a Straight Line

М	Time cost/s						
1	1 2 3 4 5 6						Iteration
0.1140%	0.1020%	0.1020%	0.1140%	0.1197%	0.1197%	20.844	343.203

 Table 5 Comparison with the Feed Cabin Moving Slowly in a Circular Path

М	Time cost/s						
1	1 2 3 4 5 6						Iteration
0.1308%	0.1016%	0.1017%	0.1308%	0.1308%	0.1308%	22.750	372.000

methods. Figure 9 shows the change of the forces of the six cables in the whole process, and the abscissa is the distance traveled by the feed cabin.

The cable forces solved by the two methods are almost identical. Table 4 lists the maximum relative error of each cable force during the calculation process and the solution time. With the same solution accuracy, AAS takes much less time than the iteration, which is important for FAST to achieve real-time control and improve accuracy.

(4) The feed cabin slowly moves in a circular path with the point (0, 0, 150 m) as the center and 50 m as the radius, keeping the height unchanged from G1 (50 m, 0, 150 m)to G2 (-50 m, 0, 150 m), see the red line in Figure 8. As in the previous case, it can be considered that the entire system is quasi-static, and the trajectory is divided into 101 nodes to solve one by one. Figure 10 shows the change of the forces of the six cables in the whole process, and the abscissa is the distance traveled by the feed cabin.

Like the case of the straight line, the cable forces solved by the two methods are almost identical. Table 5 lists the maximum relative error of each cable force during the calculation process and the solution time. With the same solution accuracy, AAS is still much faster than the iteration.

It can be seen from the comparison above that the calculation accuracy of the AAS method for solving FAST's cable forces is comparable to the iterative method, and the calculation time is greatly reduced. However, because the applied catenary model is a static model, this method is best applied to static or quasi-static situations. Whether this theory can be applied to dynamic calculations

requires in-depth analysis combined with the actual model and further research.

The following is a comparison between the AAS method and the method currently used in the FAST. By letting the feed cabin run the same trajectory, the cable forces calculated by the AAS method are compared with the cable forces measured by the sensors when the FAST is actually controlled. These sensors are respectively installed on six cables as close as possible to the anchor points A[i] shown in Figure 2. The trajectory is shown in Figure 11, with (0, 0, 156.73m) as the center, 71.11m as the radius, and making a full circle from G3(0, 71, 11m, 156.73m) while maintaining the same height. It should be noted that the running process is slow and the system can be considered as quasi-static.

Figure 12(a) shows the theoretically calculated cable forces as the feed cabin moves under this trajectory, while Figure 12(b) shows the actual cable forces measured during real-time control. The root mean square errors between them are shown in Table 6. It can be seen that the theoretical and experimental numerical trends are consistent, but there are still considerable discrepancies. Considering that the attitude change of the feed cabin has a huge influence on the cable force, it is necessary to use the feed cabin attitude measured in real-time control when using the AAS method for calculation.

Figure 13(a) shows the cable forces calculated by the AAS method after considering the measured attitude of the feed cabin, while Figure 13(b) shows the relative errors between these calculated cable forces and the actual measured cable forces in Figure 12(b). The root mean square errors between them are shown in Table 6. It can be



Fig. 9 Comparison with the feed cabin moving slowly in a straight line.



Fig. 10 Comparison with the feed cabin moving slowly in a circular path.







Fig. 12 Comparison between the AAS method and the real-time control.

Method -		Root mean square error of cable force/kN							
		2	3	4	5	6			
AAS	22.554	17.517	20.078	18.687	17.167	18.190			
AAS with actual attitudes	23.942	14.226	19.531	14.210	17.534	16.058			
AAS with actual attitudes and corrected coordinates	20.060	12.683	16.422	10.018	16.457	12.053			

Table 6 Root Mean Square Errors between AAS Method and the Real-time Control





(a) Cable forces solved by AAS with actual attitudes

(b) Relative errors between AAS and real-time control

Fig. 13 Comparison between the AAS method with actual attitudes and the real-time control.



(a) Cable forces solved by AAS with actual attitudes and corrected coordinates (b) Relative errors between AAS and real-time control

Fig. 14 Comparison between the AAS method with actual attitudes and corrected coordinates and the real-time control.

seen that the theoretical and experimental numerical trends are more consistent, but there are still some deviations. After careful inspection, it was found that the mass center coordinates of the feed cabin had a large deviation. After iterative calculation, it is finally determined that the mass center is near (0.22m, 0.11m, 0.5m), which is far away from the theoretical coordinates (0, 0, 0.5m). This also leads to larger deviations of cable forces. Therefore, it is necessary to correct the mass center coordinates to recalculate the cable forces by the AAS method.

Figure 14(a) shows the cable forces calculated by the AAS method after considering the measured attitude of the feed cabin and correcting the mass center coordinates, while Figure 14(b) shows the relative errors between these calculated cable forces and the actual measured cable forces in Figure 12(b). The root mean square errors between them are shown in Table 6. It can be found that the theoretical and experimental numerical trends are very

close, and the relative errors are already acceptable. There are still many reasons for these errors.

The first is the coordinate deviation of the mass center. Even a slight error after correction can have a huge impact on the cable forces. Moreover, the structure of the feed cabin actually changes during operation, which also causes the change in the mass center coordinates more or less.

The second is the fact that many wires and sensors are added to the cables, which results that the cables are not of uniform quality assumed by theory. This causes the deviations in the cable forces.

Third, the object of comparison is the result of the existing model combined with PID control. Although it has been verified and can be used, it still has errors compared with true values.

In addition, the sensors on the cables also have a measurement error of about 3%, which causes deviations in the cable forces as well.

In summary, the theoretical values calculated by AAS after considering the measured attitudes and the corrected mass center are consistent with the trend of the experimental data. It is expected to replace the existing model of FAST in the future and combine with PID control or even machine learning to achieve more efficient and accurate control.

5 CONCLUSIONS

In this paper, a fast method, called AAS, for solving the static or quasi-static equations of the CDPR of FAST is proposed to achieve FAST's real-time control. By extracting the necessary geometric and physical coefficients, the static or quasi-static equations can be solved analytically. In the comparison example with the traditional iterative method, AAS can save at least 75% of the time in the calculation of single cables' force at a certain moment and even can save 90% of the time in the calculation of single cables' force as the CDPR slowly moves. Also, it is verified through the experiment that the values calculated by AAS are consistent with the measured data. Obviously, the difficulty of using the catenary model to control FAST in real-time is solved. Presumably in the future, FAST can be controlled with higher precision and can be more efficient to complete more and more difficult observation tasks, and this method may be extended to other CDPRs.

Acknowledgements This work was financially supported by the National Natural Science Foundation of China (Grant Nos. 11673039 and 11973062), the Youth Innovation Promotion Association CAS, and the Open Project Program of the Key Laboratory of FAST, NAOC, Chinese Academy of Sciences.

References

- Abbasnejad, G., Yoon, J., & Lee, H. 2016, Mechanism and Machine Theory, 99, 1
- Bruckmann, T., Lalo, W., Nguyen, K., & Sala, B. 2012, ASME 2012 International Design Engineering Technical Conferences and Computers and Information in Engineering Conference, 4, 771
- Cui, Z. W., Tang, X. Q., Hou, S. H., & Sun, H. N. 2019, Mechatronics, 59, 49
- Ferravante, V., Riva, E., Taghavi, M., Braghin, F., & Bock, T. 2019, Mechanism and Machine Theory, 135, 54
- Gonzalez-Rodriguez, A., Castillo-Garcia, F. J., Ottaviano, E., & Rea, P. 2017, Mechatronics, 43, 18
- Irvine, H. M. 1981, Cable Structures
- Kawamura, S., Choe, W., Tanaka, S., & Pandian, S. R. 1995, Proceedings of 1995 IEEE International Conference on Robotics and Automation, 1, 215
- Kawamura, S., Kino, H., & Won, C. 2000, Robotica, 18, 13
- Khosravi, M. A., & Taghirad, H. D. 2013, 2013 First RSI/ISM International Conference on Robotics and Mechatronics, 331
- Kozak, K., Zhou, Q., & Wang, J. 2006, IEEE Transactions on Robotics, 22, 425
- Merlet, J.-P. 2019, Mechanism and Machine Theory, 135, 271
- Ming, A., & Higuchi, T. 1994, International Journal of The Japan Society for Precision Engineering, 28, 131
- Riehl, N., Gouttefarde, M., Baradat, C., & Pierrot, F. 2010, 2010 IEEE International Conference on Robotics and Automation, 4709
- Tang, X. Q., & Yao, R. 2011, Journal of Mechanical Design, 133, 111012
- Vafaei, A., Khosravi, M. A., & Taghirad, H. D. 2011, Intelligent Robotics and Applications, 7101, 455
- Yuan, H., Courteille, E., & Deblaise, D. 2015, Mechanism and Machine Theory, 85, 64