# Periodic Variation Studies of the Two Short Period W UMa-type Eclipsing Binaries: LX Lyn and V0853 Aur

Xu Zhang<sup>1</sup> and Bin Zhang<sup>1,2,3</sup>

 <sup>1</sup> School of Physics and Electronic Science, Guizhou Normal University, Guiyang 550001, China; zhangb1256@163.com
 <sup>2</sup> Guizhou Provincial Key Laboratory of Radio Astronomy and Data Processing, Guizhou Normal University, Guiyang 550025, China Received 2023 October 23; revised 2023 November 21; accepted 2023 December 4; published 2024 January 15

#### Abstract

In this paper, new light curves (LCs) of contact eclipsing binary (CEB) systems LX Lyn and V0853 Aur are presented and analyzed by using the 2015 version of the Wilson–Devinney (W-D) code. In order to explain their asymmetric LCs, cool starspots on the components were employed. It is suggested that their fill-out degrees are f = 12.0% (LX Lyn) and f = 26.3% (V0853 Aur). At the same time, we found that LX Lyn is a W-type eclipsing binary (EB) with an orbital inclination of  $i = 84^{\circ}.88$  and a mass ratio of q = 2.31. V0853 Aur is also a W-type CEB with a mass ratio of q = 2.77 and an orbital inclination of  $i = 79^{\circ}.26$ . Based on all available times of light minimum, their orbital period changes are studied by using the O - C method. The O - C diagram of LX Lyn reveals a cyclic oscillation with a period of about 14.84 yr and an amplitude of 0.0019 days, which can be explained by the light-travel time effect (LTTE) due to the presence of a third body with a minimum mass of  $0.06M_{\odot}$ . For V0853 Aur, it is discovered that the O - C diagram of the system also shows a cyclic oscillation with a period of 0.03365 days. The cyclic oscillation of V0853 Aur can be attributed to the LTTE by means of a third body with a mass no less than  $3.77M_{\odot}$ . The third body may play an important role in the formation and evolution of these systems.

*Key words:* stars: activity – (stars:) binaries (including multiple): close – (stars:) binaries: eclipsing – (stars:) brown dwarfs – stars: evolution – stars: formation

#### 1. Introduction

The formation and evolution of short-period W UMa-type eclipsing binaries (EBs) are still an open question. It is predicted that they were formed from initially short-period cold-separated binaries, experiencing angular momentum loss (AML) (e.g., Vant Veer 1979; Qian 2003; Qian 2017; Li et al. 2007; Qian et al. 2018) controlled by magnetic activity and evolved into contact configurations with very low mass ratio (e.g., Li et al. 2004). Because these binaries have a common convective envelope (CCE) (Lucy 1968), the surface effective temperature of the components is very close, and the depth of two occultations in the light curves (LCs) is almost equal. Binnendijk (1970) made a more accurate comparison of the temperatures and divided them into A and W types. More importantly, the two components of a contact eclipsing binary (CEB) can exchange matter through the Lagrangian point, which can change the evolutionary track of each star in the system. Moveover, it is found that many of the CEB systems have an extra companion (Pribulla & Rucinski 2006), such as J0344 (Zhang et al. 2020), WW Dra (Liao & Qian 2010), V752 Cen (Zhou et al. 2019), PZ UMa (Zhou & Soonthornthum 2019), J1155 (Zhang et al. 2019) and NSVS 01286630 (Zhang et al. 2018b). The existence of the third body can make the O - C values of the binary system changed periodically, which is also called the light-travel time effect (LTTE).

The W UMa-type binaries have an obvious periodic cutoff phenomenon at  $\sim 0.22$  days (Rucinski 1992). According to the latest observations, some CEBs with a period shorter than 0.22 days have been discovered. For example, Davenport et al. (2013) reported a CEB SDSS J001641-000925 with a period of 0.19856 days, and Nefs et al. (2012) also discovered nine EB candidates with periods less than 0.22 days from the Wide Field Camera Transit Survey. Meanwhile, Drake et al. (2014) identified 231 binaries with orbital periods less than 0.22 days by using data from the Catalina Sky Survey. After that, Zhang & Qian (2020) proposed a new period cutoff limit at 0.15 days based on many observations and theoretical analysis. The detailed reasons for the period cutoff phenomenon are still not clear now. There are several explanations for that: Rucinski (1992) first proposed the complete convection limit to explain this phenomenon, but it is limited by the contact structure model. Then, some researchers thought that because the timescale of AML is very long, it is difficult to form this kind of binary system (Stepień 2006; Stepień & Gazeas 2012). In addition, Jiang et al. (2012) believe that it is the result of mass transfer instability during the initial detached binaries.



 $<sup>^{3}</sup>$  Author to whom any correspondence should be addressed.



Figure 1. The observational LCs of LX Lyn in  $VR_cI_c$  bands.

Thanks to the Wide Angle Search for Planets (SuperWASP) survey, LX Lyn (= 1SWASP J080150.03+471433.8) was first discovered and identified as a W UMa-type binary candidate with an orbital period of 0.2175 days (Norton et al. 2011). Then, the first photometric solutions were carried out by Terrell & Gross (2014). Subsequently, Dimitrov et al. (2015) performed a low-resolution spectroscopic analysis and found that it is an over-contact EB. After that, Darwish et al. (2017) explored the relationships between mass–luminosity and mass–radius of the two components, and they ascertained that the less massive component is above the empirical *M*–*R* relation position (Lucy 1973; Eker et al. 2015). It is found that LX Lyn is an important case to study the formation of a CEB with an orbital period near 0.22 days (Loukaidou et al. 2022).

V0853 Aur (= NSVS 4484038 = 1SWASP J055416.98 +442534.0) was first discovered by the Northern Sky Variability Survey (Hoffman et al. 2009). Subsequently, the SuperWASP project determined its orbital period as 0.218495 days (Lohr et al. 2013). Then, its first photometric solutions in the *B* and *V*-band were obtained, and it was found that the target is a CEB system (Zhang et al. (2014b)). Dimitrov et al. (2015) acquired its low resolution spectrum and mass ratio of q = 0.792. Thereafter, using the O - C method, Lu et al. (2020) first studied its orbital period variations. They reported a cyclic oscillation, which may be caused by the magnetic activity or a third body.

## 2. Photometric Observation

We obtained new multi-band LCs of LX Lyn and V0853 Aur by using the 60 cm reflecting telescope at the Xinglong Station of National Astronomical Observatories, Chinese Academy of Sciences. The LCs of LX Lyn in  $VR_cI_c$  bands

 Table 1

 Coordinates of the Variable, Comparison and Check Stars

Targets	Name	$\alpha_{2000}$	$\delta_{2000}$
Variable star Comparison Check	LX Lyn GSC 3408-01475 GSC 3408-00253	$\begin{array}{c} 08^{h}01^{m}50^{\$}030\\ 08^{h}01^{m}36^{\$}295\\ 08^{h}02^{m}0^{\$}415 \end{array}$	$+47^{h}14^{m}33.43 \\ +47^{h}10^{m}18^{\frac{5}{2}}88 \\ +47^{h}14^{m}5^{\frac{5}{2}}14$
Variable star Comparison Check	V0853 Aur GSC 2924-1387 GSC 2924-1089	$\begin{array}{c} 05^{h}54^{m}17\stackrel{\scriptscriptstyle 8}{,}014\\ 05^{h}54^{m}18\stackrel{\scriptscriptstyle 8}{,}274\\ 05^{h}54^{m}14\stackrel{\scriptscriptstyle 8}{,}436\end{array}$	$\begin{array}{r} +44^{h}25^{m}34\overset{\scriptscriptstyle 8}{,}00\\ +44^{h}27^{m}43\overset{\scriptscriptstyle 8}{,}45\\ +44^{h}30^{m}18\overset{\scriptscriptstyle 8}{,}61\end{array}$

were acquired in 2020 (January 18), and are displayed in Figure 1. Two stars near the target are selected as the comparison star and check star (see Table 1). We also adopted the Simple Aperture Photometry (SAP) LCs of LX Lyn. The Transiting Exoplanet Survey Satellite (TESS) LCs of LX Lyn are from sector 20 with 30 minute cadence and sector 47 with 10 minute cadence. Based on our observations, we obtained 10 light minima times and listed them in Table 2.

For V0853 Aur, we also obtained new photometric LCs in the  $VR_cI_c$  bands on 2021 November 30 and 2020 December 25. The observed images were reduced by using the software IRAF, and the corresponding LCs are shown in Figure 2. At the same time, we collected the TESS LCs from sector 19 with 30 minute cadence. In addition, 13 new light minima times were determined and are listed in Table 3.

## 3. The Analysis of Orbital Period Changes

The O - C method is a useful way to study orbital period changes of binary systems (Qian et al. 2013; Zhang et al. 2018b). For CEB, the orbital period modulations are very common, such as parabolic, cyclic, or both. Exploring the

<b>Table 2</b> $(O - C)$ Data for LX Lyn	
(O - C) Data for LX Lyn	

BJD	Error (day)	Epoch	(O-C) (day)	Reference	BJD	Error (day)	Epoch	(O-C) (day)	Reference
2454410.07682	0.00049	0	0.00000	(1)	2456714.29857	0.00010	10593.5	-0.00222	(4)
2454410.18558	0.00066	0.5	0.00000	(1)	2456714.29867	0.00010	10593.5	-0.00212	(4)
2454422.80028	0.00058	58.5	-0.00105	(1)	2456714.40677	0.00020	10594	-0.00278	(4)
2454423.12372	0.00340	60	-0.00388	(1)	2456714.40707	0.00030	10594	-0.00248	(4)
2454427.47905	0.00068	80	0.00119	(1)	2456714.40717	0.00050	10594	-0.00238	(4)
2454427.58644	0.00073	80.5	-0.00018	(1)	2457036.76528	0.00049	12076	0.00147	(5)
2454427.69585	0.00044	81	0.00048	(1)	2457036.87475	0.00144	12076.5	0.00219	(5)
2454427.80304	0.00037	81.5	-0.00109	(1)	2457227.52315	0.00027	12953	0.00044	(5)
2454437.80854	0.00051	127.5	-0.00119	(1)	2457395.87622	0.00041	13727	-0.00155	(5)
2454437.91958	0.00071	128	0.00110	(1)	2457395.98327	0.00044	13727.5	-0.00326	(5)
2454438.02643	0.00051	128.5	-0.00081	(1)	2457395.98335	0.00046	13727.5	-0.00318	(5)
2454438.13735	0.00044	129	0.00135	(1)	2457396.09363	0.00042	13728	-0.00165	(5)
2454497.29966	0.00053	401	0.00013	(1)	2457396.09367	0.00039	13728	-0.00161	(5)
2454497.40854	0.00030	401.5	0.00025	(1)	2457747.05076	0.00094	15341.5	-0.00175	(5)
2454497.51821	0.00031	402	0.00116	(1)	2457747.05097	0.00090	15341.5	-0.00154	(5)
2454502.84573	0.00047	426.5	-0.00038	(1)	2457747.15951	0.00079	15342	-0.00176	(5)
2454502.95521	0.00030	427	0.00034	(1)	2457747.15985	0.00050	15342	-0.00142	(5)
2454503.06385	0.00024	427.5	0.00022	(1)	2458843.64628	0.00032	20383	0.00198	(6)
2454532.75422	0.00034	564	0.00007	(1)	2458843.75493	0.00035	20383.5	0.00187	(6)
2454532.86353	0.00040	564.5	0.00062	(1)	2458843.86392	0.00022	20384	0.00211	(6)
2454532.97297	0.00066	565	0.00130	(1)	2458847.34425	0.00010	20400	0.00223	(6)
2454533.07892	0.00050	565.5	-0.00150	(1)	2458847.45302	0.00005	20400.5	0.00224	(6)
2454536.23483	0.00038	580	0.00047	(1)	2458847.56182	0.00010	20401	0.00229	(6)
2454536.34427	0.00057	580.5	0.00115	(1)	2458852.34718	0.00014	20423	0.00236	(6)
2454544.28408	0.00054	617	0.00174	(1)	2458852.45564	0.00013	20423.5	0.00206	(6)
2454544.39179	0.00054	617.5	0.00069	(1)	2458852.56472	0.00008	20424	0.00239	(6)
2454544.50144	0.00139	618	0.00159	(1)	2458858.21996	0.00056	20450	0.00229	(6)
2454545.91315	0.00091	624.5	-0.00054	(1)	2458858.32859	0.00009	20450.5	0.00216	(6)
2454554.39578	0.00096	663.5	-0.00092	(1)	2458858.43748	0.00014	20451	0.00230	(6)
2455563.54706	0.00020	5303	-0.00120	(2)	2458862.35283	0.00012	20469	0.00241	(6)
2455563.54836	0.00020	5303	0.00010	(2)	2458862.46119	0.00012	20469.5	0.00202	(6)
2455563.65711	0.00020	5303.5	0.00010	(2)	2458862.57031	0.00008	20470	0.00238	(6)
2455563.65745	0.00020	5303.5	0.00043	(2)	2458866.59414	0.00017	20488.5	0.00222	(6)
2455568.44242	0.00020	5325.5	0.00012	(2)	2458866.70324	0.00016	20489	0.00256	(6)
2455568.44243	0.00020	5325.5	0.00013	(2)	2458866.81161	0.00011	20489.5	0.00218	(6)
2455568.55117	0.00020	5326	0.00011	(2)	2458867.24566	0.00013	20491.5	0.00120	(7)
2455568.55120	0.00020	5326	0.00015	(2)	2458867.24585	0.00011	20491.5	0.00139	(7)
2456625.98906	0.00022	10187.5	-0.00145	(5)	2458867.24593	0.00015	20491.5	0.00147	(7)
2456626.09820	0.00023	10188	-0.00106	(5)	2458867.35496	0.00019	20492	0.00174	(7)
2456702.66106	0.00050	10540	-0.00278	(3)	2458867.35543	0.00023	20492	0.00221	(7)
2456702.77357	0.00040	10540.5	0.00097	(3)	2458867.35596	0.00034	20492	0.00274	(7)
2456702.88267	0.00020	10541	0.00131	(3)	2458867.46267	0.00014	20492.5	0.00070	(7)
2456703.64377	0.00010	10544.5	0.00112	(3)	2458867.46329	0.00018	20492.5	0.00132	(7)
2456703.75247	0.00020	10545	0.00106	(3)	2458867.46524	0.00015	20492.5	0.00327	(7)
2456703.86187	0.00110	10545.5	0.00170	(3)	2459575.36102	0.00035	23747	0.00299	(7)
2456714.29807	0.00020	10593.5	-0.00272	(4)					~ /

Reference: (1) SuperWASP, (2) Dimitrov et al. (2015), (3) Terrell & Gross (2014), (4) Darwish et al. (2017), (5) ASAS-SN, (6) TESS, (7) This paper.

causes of these modulations is very important for a detailed study of the dynamical evolution of binary systems and search for a third body. Generally, mass loss through stellar winds and mass transfer between the components can be caused by secular period variations. In addition, cyclic changes of the orbital period can be explained by the Applegate mechanism or the LTTE (Irwin 1952; Applegate 1992; Borkovits et al. 2016).

## 3.1. LX Lyn

A total of 91 light minima times are used to analyze the orbital period changes of LX Lyn. Among them, six are from Terrill et al. (2014), eight are from Dimitrov et al. (2015) and six are from Darwish et al. (2017). In addition, the TESS space mission, SuperWASP, and All-Sky Automated Survey for SuperNovae (ASAS-SN) provided another 61 eclipse times.



Figure 2. The observational LCs of V0853 Aur in  $VR_cI_c$  bands.

The O - C values were calculated with the following linear ephemeris,

$$Min.I(BJD) = 2454410.07682(\pm 0.00049) + 0^{d}.217513 \times E.$$
(1)

The calculated O - C values of LX Lyn are listed in Table 2.

After fitting, we corrected the ephemeris to the following equation,

$$\begin{aligned} \text{Min. I(BJD)} &= 2454410.07500(\pm 0.00009) \\ &+ 0.^{d}217513184(\pm 0.000000008) \times E \\ &+ 0.00191(\pm 0.000071) \\ &\times \sin(0^{\circ} \ 01446 \times E + 64^{\circ} \ 8642(\pm 2^{\circ} \ 909)). \end{aligned}$$

It should be noted that a circular orbit was assumed during our analysis. Moreover, weights of  $1/\sigma^2$  were assigned to these data, where  $\sigma$  is the error. The corresponding O - C curve is depicted in Figure 3.

## 3.2. V0853 Aur

We collected 61 light minima times of V0853 Aur from published literature in the present work (Christian et al. 2006; Zhang et al. 2014b; Dimitrov & Kjurkchieva 2015; Hong-Peng Lu et al. 2020). At the same time, based on several sky surveys, we also obtained some light minima times, such as SuperWASP (23), ASAS-SN (5), and TESS (8). During our calculation, the following linear ephemeris is adopted,

$$Min.I(BJD) = 2454387.677781(\pm 0.003) + 0^{d}.21855 \times E.$$
(3)

All the O - C values we used are listed in Table 3. Applying the least squares method, the new formula is obtained as follows,

$$\begin{aligned} \text{Min.I(BJD)} &= 2454387.69248(\pm 0.00006) \\ &+ 0.^{d}218548472(\pm 0.000000005) \times E \\ &+ 0.0336507(\pm 0.000058) \\ &\times \sin(0^{\circ}.02235 \times E - 40^{\circ}.1788(\pm 0^{\circ}.098)). \end{aligned}$$

The final O - C diagram is plotted in Figure 4. It is apparent that the O - C diagram of V0853 Aur exhibits a periodic oscillation.

#### 4. Photometric Solutions Obtained with the Wilson– Devinney Method

In order to study the targets well, it is necessary to obtain the photometric solutions of these two systems. During our analysis, the 2015 version of the Wilson–Devinney (W-D) program was used (Wilson & Devinney 1971; Wilson 1979, 1990, 1993; Van Hamme & Wilson 2003, 2007; Wilson 2008; Wilson et al. 2010; Wilson 2012, and Wilson & Van Hamme 2014). The adjustable parameters are: the orbital inclination, *i*; effective temperature of the secondary component,  $T_2$ ; luminosity contributions of the primary component,  $L_1$ ; the dimensionless potentials,  $\Omega_1$  and  $\Omega_2$ ; and the mass ratio, *q*. Moreover, two parameters in our fit are fixed, the bolometric

Table 3O - C Data for V0853 Aur

244387,7778         0.0000         0         0.00007         (1)         2456671,07877         0.00500         10448.5         -0.00849         (4)           2454388,6087         0.00005         (5)         -0.00015         (2)         2456671,18917         0.00500         10448.5         -0.00849         (4)           245438,70022         0.00002         23         -0.00165         (1)         2456671,29747         0.00500         10449         -0.00296         (4)           2454392,5703         0.00004         27         -0.00160         (2)         2456672,06237         0.00500         10452.5         -0.00896         (4)           2454393,56367         0.00004         27.5         -0.00224         (2)         2456673,5427         0.00500         10457         -0.00844         (4)           2454393,56867         0.00003         28         -0.00224         (2)         2456673,3547         0.00500         10457.5         -0.00844         (4)           2454393,5686         0.00030         28         -0.00224         (2)         2456673,3637         0.00500         10458         -0.00844         (4)           2454393,5686         0.00030         28         -0.00226         (1)         2456674,3037	BJD	Error (day)	Epoch	(O-C) (day)	Reference	BJD	Error(day)	Epoch	(O-C) (day)	Reference
245488.60681         0.00047         4.5         -0.00045         (2)         245671.18897         0.00500         10448.5         -0.00829         (4)           245488.7053         0.00100         9         -0.00095         (1)         245671.39687         0.00500         10448.5         -0.00829         (4)           2454932.7073         0.00004         27         -0.00150         (2)         245672.06287         0.00500         10445.5         -0.00890         (4)           2454932.5763         0.00004         27.5         -0.00124         (2)         245673.04527         0.00500         10457.5         -0.00896         (4)           245493.5686         0.00033         27.5         -0.00224         (2)         245673.1557         0.00500         10457.5         -0.00844         (4)           245493.93864         0.00051         28         -0.00224         (2)         245673.4537         0.00500         10457.5         -0.00844         (4)           245493.93857         0.00004         32         -0.00220         (1)         245674.03037         0.05500         10461.5         -0.00844         (4)           245493.93677         0.00004         32         -0.00250         (1)         2456674.13817	2454387.67778	0.00300	0	0.00000	(1)	2456671.07877	0.00500	10448	-0.00941	(4)
244388,7082         0.0002         5         -0.0005         (1)         245671,18917         0.00050         10449         -0.00856         (4)           245489,270278         0.00100         23         -0.00165         (1)         245671,29747         0.00500         10449         -0.00879         (4)           245493,57373         0.00061         27         -0.00160         (2)         245672,06287         0.00500         10452,5         -0.00896         (4)           245493,5637         0.00200         27,5         -0.00224         (2)         245673,04597         0.00500         10457,5         -0.00894         (4)           245493,56867         0.00008         27,5         -0.00224         (2)         2456673,3547         0.00500         10457,5         -0.00894         (4)           245493,79846         0.00058         2         -0.00314         (2)         2456673,26377         0.00500         104458         -0.00814         (4)           245493,7687         0.00080         22         -0.00119         (2)         2456674,30347         0.00500         10461,5         -0.00814         (4)           245493,7687         0.00500         50         -0.00284         (2)         2456674,30347	2454388.66081	0.00047	4.5	-0.00045	(2)	2456671.18897	0.00500	10448.5	-0.00849	(4)
2454380,2473         0.00100         9         -0.00095         (1)         2456671.29687         0.00500         10449         -0.00986         (4)           2454935.7633         0.00004         27         -0.00106         (2)         2456672.06287         0.00500         10452.5         -0.00889         (4)           2454935.7633         0.00004         27.5         -0.00124         (2)         2456673.04527         0.00500         10457.5         -0.00884         (4)           2454935.7646         0.00005         2.8         -0.00224         (2)         2456673.15577         0.00500         10457.5         -0.00884         (4)           2454939.79446         0.00051         2.8         -0.00224         (2)         2456673.26377         0.00500         10458         -0.00991         (4)           2454939.79454         0.00061         2.85         -0.00119         (2)         2456673.26377         0.00500         10458         -0.00914         (4)           245497.61878         0.00000         4.55         -0.00330         (2)         2456674.03047         0.00500         10462.5         -0.00814         (4)           245497.61878         0.00000         4.55         -0.00330         (2)         2456674.24777	2454388.77052	0.00052	5	-0.00001	(2)	2456671.18917	0.00500	10448.5	-0.00829	(4)
245492,70278         0.00000         23         -0.00129         (1)         245697,129747         0.00000         10449         -0.00879         (4)           2454935,57703         0.00034         27         -0.00120         (2)         245607,206377         0.00500         10452,5         -0.008899         (4)           2454935,84567         0.00008         27,5         -0.00224         (2)         245607,30497         0.00500         10457         -0.00884         (4)           2454937,8456         0.00003         28         -0.00212         245667,315577         0.00500         10457.5         -0.00884         (4)           2454937,97404         0.00051         28         -0.00119         (2)         245667,326377         0.00500         10458         -0.00991         (4)           2454937,61851         0.00046         45.5         -0.00302         (2)         245667,40337         0.00500         10461.5         -0.00814         (4)           245497,61851         0.00500         46.5         -0.00329         (3)         245667,43377         0.00500         10462.5         -0.00899         (4)           245497,6187         0.00500         50         -0.00259         (1)         245667,43577         0.00500<	2454389.64378	0.00100	9	-0.00095	(1)	2456671.29687	0.00500	10449	-0.00986	(4)
24549357633         0.00002         27         -0.00230         (2)         2456072.06287         0.00500         10452.5         -0.00869         (4)           2454935.06478         0.00000         27.5         -0.00160         (1)         2456073.04527         0.00500         10457         -0.00894         (4)           2454935.68568         0.00033         27.5         -0.00224         (2)         2456073.0457         0.00500         10457.5         -0.00894         (4)           2454935.7844         0.00051         28         -0.00119         (2)         2456673.1557         0.00500         10458         -0.00814         (4)           2454937.50440         0.00050         104615         -0.00824         (4)         (4)           245497.61851         0.00047         28.5         -0.00102         (2)         2456674.03047         0.00500         10461.5         -0.00814         (4)           245497.61851         0.00095         46         -0.00430         (2)         2456674.03047         0.00500         10462.5         -0.000979         (4)           245497.61851         0.00070         50         -0.00250         (1)         2456674.31872         0.00500         10462.5         -0.00039         (4)	2454392.70278	0.00200	23	-0.00165	(1)	2456671.29747	0.00500	10449	-0.00926	(4)
2454937         0.00034         27         -0.00100         (a)         245607.0627         0.00500         10457.5         -0.00986         (b)           2454937.68567         0.00050         27.5         -0.00223         (c)         2456073.04597         0.00500         10457         -0.00984         (d)           2454937.6556         0.00051         25         -0.00234         (c)         2456073.15577         0.00500         10457.5         -0.008844         (d)           2454937.0570         0.00051         28         -0.00123         (c)         2456073.35577         0.00500         10458         -0.00991         (d)           2454937.0577         0.00056         25         -0.00120         (c)         245667.305477         0.00500         10461.5         -0.00814         (d)           245497.61851         0.00056         45.5         -0.00302         (c)         245667.431817         0.00500         10462.5         -0.00991         (d)           245497.61851         0.00050         46.5         -0.00323         (c)         245667.431817         0.00500         10462.5         -0.00991         (d)           245497.61851         0.00050         46.5         -0.00324         (c)         245667.431877	2454393.57633	0.00062	27	-0.00230	(2)	2456672.06287	0.00500	10452.5	-0.00879	(4)
245439.68478         0.00200         27.5         -0.00212         (1)         2456073.04697         0.00500         10457         -0.00286         (4)           245439.65568         0.00033         27.5         -0.00223         (2)         2456073.1557         0.00500         10457.5         -0.00894         (4)           2454393.59486         0.00038         28         -0.00232         (2)         2456073.1557         0.00500         10458         -0.00991         (4)           2454393.79486         0.00038         28         -0.00232         (2)         2456073.25377         0.00500         1046.5         -0.00991         (4)           2454397.01871         0.00500         1046.5         -0.00314         (4)         245497.01871         0.00500         1046.5         -0.00814         (4)           245497.01871         0.00500         46.5         -0.00323         (2)         245674.13817         0.00500         1046.2         -0.00961         (4)           245497.01874         0.00500         50         -0.00250         (1)         2456674.24777         0.00500         1046.2         -0.000530         (4)           245405.570278         0.00200         82.5         -0.00357         (1)         2456674.24777	2454393.57703	0.00034	27	-0.00160	(2)	2456672.06297	0.00500	10452.5	-0.00869	(4)
245439.6567         0.00068         27.5         -0.00224         (2)         2456073.1557         0.00500         10457         -0.00814         (4)           245439.5656         0.000501         28         -0.00123         (2)         2456073.1557         0.00500         10457         -0.00884         (4)           245439.5027         0.00058         28         -0.00123         (2)         2456073.26377         0.00500         10458         -0.00891         (4)           245439.5027         0.00461         45.5         -0.00300         (2)         2456073.26377         0.00500         10415.5         -0.00824         (4)           2454397.61878         0.00500         45.5         -0.00302         (1)         2456074.13827         0.00500         10462         -0.00891         (4)           2454397.61878         0.00500         45.5         -0.00220         (1)         2456074.13827         0.00500         10462.5         -0.00893         (4)           2454398.6027         0.00030         82.5         -0.00250         (1)         2456674.24857         0.00020         10497.5         -0.00330         (5)           2454405.70278         0.00200         85.5         -0.00257         (1)         2456674.24857 <td>2454393.68478</td> <td>0.00200</td> <td>27.5</td> <td>-0.00312</td> <td>(1)</td> <td>2456673.04527</td> <td>0.00500</td> <td>10457</td> <td>-0.00986</td> <td>(4)</td>	2454393.68478	0.00200	27.5	-0.00312	(1)	2456673.04527	0.00500	10457	-0.00986	(4)
245439.368568         0.00033         27.5         -0.00234         (4)           2454393.79446         0.00051         28         -0.00314         (2)         2456073.1557         0.00500         10457.5         -0.00894         (4)           2454393.79446         0.00050         128         -0.00119         (2)         2456073.1557         0.00500         10448         -0.00971         (4)           245439.0627         0.00467         28.5         -0.00130         (2)         2456074.0337         0.00500         10441.5         -0.00814         (4)           2454397.61881         0.00404         45.5         -0.00302         (1)         2456074.13817         0.00500         10462.         -0.000971         (4)           2454397.6187         0.00050         46.5         -0.00123         (2)         2456074.13817         0.00500         10462.5         -0.00039         (4)           2454397.84240         0.00500         50         -0.00250         (1)         2456674.24777         0.00500         10462.5         -0.00355         (5)           245400.57078         0.00200         82.5         -0.00357         (1)         2456674.34737         0.00030         10497.5         -0.01330         (5)         245440.5	2454393.68567	0.00068	27.5	-0.00224	(2)	2456673.04697	0.00500	10457	-0.00817	(4)
245439.79404         0.00001         28         -0.00314         (2)         2456073.15577         0.00500         10457.5         -0.00884         (4)           2454393.79404         0.00050         32         -0.00320         (1)         245673.26377         0.00500         10458         -0.00971         (4)           245439.70657         0.00600         1345.5         -0.00320         (1)         2456673.26377         0.00500         10461.5         -0.00824         (4)           245439.70657         0.000500         145.5         -0.00320         (1)         2456674.13827         0.00500         10462         -0.00891         (4)           245499.70627         0.00500         1462         -0.00891         (4)         245495.6278         0.00500         10462.5         -0.00890         (4)           245499.50278         0.00500         84.5         -0.00250         (1)         2456674.24857         0.00200         10462.5         -0.00893         (4)           245405.7078         0.00200         85.5         -0.00537         (1)         2456681.89311         0.0029         10497.5         -0.01330         (5)           2454005.6778         0.00200         85.6         -0.00357         (1)         2456674.24	2454393 68568	0.00033	27.5	-0.00223	(2)	2456673 15547	0.00500	10457.5	-0.00894	(4)
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2454393 79404	0.00061	28	-0.00314	(2)	2456673 15557	0.00500	10457.5	-0.00884	(4)
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2454393 79486	0.00058	28	-0.00232	(2)	2456673 26377	0.00500	10458	-0.00991	(4)
$ \begin{array}{c} 1 \\ 2454394.687 \\ 245439.6181 \\ 245439.6181 \\ 0.00006 \\ 45.5 \\ -0.00300 \\ 25 \\ 2456674.0397 \\ 0.00500 \\ 10641.5 \\ -0.00814 \\ (4) \\ 245439.76185 \\ 0.00005 \\ 46 \\ -0.00907 \\ (4) \\ 245439.76185 \\ 0.00005 \\ 46 \\ -0.00903 \\ (2) \\ 2456674.13827 \\ 0.00500 \\ 10642 \\ -0.00901 \\ (4) \\ 245439.76187 \\ 0.00500 \\ 10642 \\ -0.00903 \\ (4) \\ 245498.00278 \\ 0.00500 \\ 50 \\ -0.00250 \\ (1) \\ 2456674.24857 \\ 0.00500 \\ 10642 \\ -0.00939 \\ (4) \\ 245498.00278 \\ 0.00500 \\ 50 \\ -0.00250 \\ (1) \\ 245661.24857 \\ 0.00500 \\ 10642 \\ -0.00859 \\ (4) \\ 245498.00278 \\ 0.00500 \\ 82 \\ -0.00157 \\ (1) \\ 245661.24858 \\ 0.00001 \\ 10020 \\ 82.5 \\ -0.00157 \\ (1) \\ 245661.24858 \\ 0.00001 \\ 10020 \\ 82.5 \\ -0.00157 \\ (1) \\ 245661.24858 \\ 0.00000 \\ 15022 \\ -0.00135 \\ (5) \\ 245440.5678 \\ 0.00200 \\ 8.5 \\ -0.00485 \\ (1) \\ 245709.24701 \\ 0.00000 \\ 1502 \\ -0.00135 \\ (1) \\ 245400.5678 \\ 0.00000 \\ 87 \\ -0.00485 \\ (1) \\ 245709.24701 \\ 0.00000 \\ 156 \\ -0.00415 \\ (1) \\ 245407.5678 \\ 0.00000 \\ 156 \\ -0.00415 \\ (1) \\ 245407.5678 \\ 0.00000 \\ 156 \\ -0.00485 \\ (2) \\ 245709.24701 \\ 0.00000 \\ 156 \\ -0.00415 \\ (1) \\ 245407.5678 \\ 0.00000 \\ 156 \\ -0.00415 \\ (1) \\ 245407.5678 \\ 0.00000 \\ 156 \\ -0.0048 \\ (2) \\ 245803.4087 \\ 0.00000 \\ 156 \\ -0.00421 \\ (3) \\ 245407.5678 \\ 0.00000 \\ 156 \\ -0.0023 \\ (1) \\ 245803.4087 \\ 0.00000 \\ 156 \\ -0.0023 \\ (2) \\ 245803.4087 \\ 0.00000 \\ 156 \\ -0.00277 \\ (1) \\ 245803.4087 \\ 0.00005 \\ 16685 \\ -0.01879 \\ (5) \\ 245407.5678 \\ 0.00005 \\ 16685 \\ -0.01879 \\ (5) \\ 245407.5678 \\ 0.00005 \\ 16685 \\ -0.01879 \\ (5) \\ 245407.5678 \\ 0.00005 \\ 16685 \\ -0.01879 \\ (5) \\ 245407.5678 \\ 0.00005 \\ 16685 \\ -0.01879 \\ (5) \\ 245803.4087 \\ 0.00005 \\ 16685 \\ -0.01879 \\ (5) \\ 245803.4087 \\ 0.00005 \\ 16685 \\ -0.01879 \\ (5) \\ 245803.4087 \\ 0.00005 \\ 16685 \\ -0.01879 \\ (5) \\ 245803.4087 \\ 0.00005 \\ 16685 \\ -0.01879 \\ (5) \\ 245407.5678 \\ 0.00005 \\ 16685 \\ -0.01879 \\ (7) \\ 2454815.7758 \\ 0.00005 \\ 16685 \\ -0.01879 \\ (7) \\ 2454815.7758 \\ 0.00005 \\ 16685 \\ -0.01879 \\ (7) \\ 2454815.7758 \\ 0.00005 \\ 16685 \\ -0.00277 \\ (6) \\ 245817.5768 \\ 0.00005 \\ 16685 \\ -0.00775 \\ (7) \\ 245481$	2454393 90527	0.00047	28.5	-0.00119	(2)	2456673 26397	0.00500	10458	-0.00971	(4)
	2454393.50527	0.00300	32	-0.00260	(1)	2456674 03037	0.00500	10450	-0.00824	(4)
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2454397 61851	0.00046	15.5	-0.00230	(1)	2456674.03047	0.00500	10461.5	-0.00814	(4)
24-29.3018/6         0.00009         46.5         -0.00493         (2)         2456074.13817         0.00500         10462         -0.00991         (4)           2454397.72617         0.00500         10462.5         -0.00999         (4)           2454397.84294         0.00078         46.5         0.00228         (2)         2456674.24777         0.00500         10462.5         -0.00939         (4)           2454405.59178         0.00300         82         -0.00710         (1)         2456674.24777         0.00030         10462.5         -0.00335         (5)           2454405.59178         0.00200         86.5         -0.00557         (1)         2456681.39381         0.00030         15146.5         -0.04155         (6)           2454407.50656         0.00046         91         -0.00465         (2)         2457098.01231         0.00030         15147         -0.04155         (6)           2454407.50656         0.00050         91.5         -0.00522         (1)         245803.405805         0.00013         15164.5         -0.01871         (5)           245407.5668.0         0.00055         92         -0.002252         (1)         245803.405805         0.00014         16684.5         -0.01879         (5)	2454307 61878	0.00500	45.5	0.00302	(1)	2456674 13817	0.00500	10462	0.00071	(4)
24-29.7.2017.         200000         10000000         1000000         10000000         1000000         1000000         1000000         1000000         1000000         1000000         1000000         1000000         1000000         1000000         1000000         1000000         1000000         1000000         10000000         1000000         10000000         10000000         100000000         10000000 <td>2454597.01878</td> <td>0.00005</td> <td>45.5</td> <td>-0.00302</td> <td>(1)</td> <td>2456674.13817</td> <td>0.00500</td> <td>10462</td> <td>-0.00971</td> <td>(4)</td>	2454597.01878	0.00005	45.5	-0.00302	(1)	2456674.13817	0.00500	10462	-0.00971	(4)
24-29.29.29         0.00078         40.0         0.00230         (c)         24-309.24717         0.00000         10462.3         -0.00399         (e)           2454306.02718         0.00300         82         -0.001710         (1)         2456668.178358         0.000301         104497         -0.01355         (5)           2454405.59178         0.00200         82.5         -0.00357         (1)         245668.178358         0.00030         15045.5         -0.013310         (5)           2454406.657678         0.00200         86.5         -0.00457         (1)         2457698.01251         0.00030         15145.5         -0.041312         (6)           2454407.65678         0.000046         91         -0.00465         (2)         2457079.94521         0.00030         15145.5         -0.04132         (6)           2454407.65678         0.00050         91.5         -0.00352         (1)         245803.405805         0.00014         16684.5         -0.01721         (5)           2454407.65678         0.00005         92         -0.00233         (2)         2458063.77583         0.00050         16821         -0.01221         (6)           2454407.78205         0.00085         92         -0.00277         (1)         24	2454207 84204	0.00095	40	0.00258	(2)	2456674.15827	0.00500	10462.5	-0.00901	(4)
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2434397.04294	0.00078	40.5	0.00238	(2)	2430074.24777	0.00500	10462.5	-0.00939	(4)
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2434398.00278	0.00300	30	-0.00230	(1)	2430074.24637	0.00300	10402.5	-0.00839	(4)
243440.3.0276         0.00200         82.3         -0.00357         (1)         243608.39201         0.00205         10497.3         -0.01350         (5)           245440.5776         0.00200         86.5         -0.00485         (1)         2457697.90381         0.00030         15146.5         -0.04155         (6)           2454407.5605         0.00044         91         -0.00465         (2)         2457769.801251         0.00030         15165         -0.04332         (6)           2454407.6663         0.00058         91.5         -0.00648         (2)         245803.394637         0.00171         16684         -0.01721         (5)           2454407.6678         0.00050         91.5         -0.00232         (1)         245803.87783         0.00050         16685         -0.01721         (5)           2454407.679.05         0.00050         100.5         -0.00727         (1)         245806.88463         0.00050         16821         -0.02270         (6)           2454407.6278         0.00600         105         -0.00275         (1)         245805.84633         0.00050         20279         0.01001         (6)           2454405.6078         0.00200         120.5         -0.00877         (1)         2458819.77344 </td <td>2434403.39178</td> <td>0.00300</td> <td>02 82.5</td> <td>-0.00/10</td> <td>(1)</td> <td>2430081.78338</td> <td>0.00031</td> <td>10497</td> <td>-0.01333</td> <td>(5)</td>	2434403.39178	0.00300	02 82.5	-0.00/10	(1)	2430081.78338	0.00031	10497	-0.01333	(5)
243-440.57678         0.00200         86.5         -0.00857         (1)         2437683.52001         0.00030         15162.5         -0.00815         (6)           2454406.65878         0.00300         87         -0.00445         (1)         2457697.90381         0.00030         1514.65         -0.004155         (6)           245407.56118         0.00044         91         -0.00648         (2)         245707.194521         0.00030         15165         -0.04332         (6)           245407.66663         0.00050         91.5         -0.00532         (1)         245803.05805         0.00014         16684.5         -0.01721         (5)           245407.6778         0.00076         92         -0.00233         (2)         245803.405805         0.00065         16685         -0.01270         (6)           2454407.8725         0.00085         146.5         -0.00727         (1)         2458817.3686         0.00000         16820.5         -0.02222         (6)           2454410.5278         0.00060         100.5         -0.00777         (1)         2458817.3686         0.00000         20268.5         0.01050         (7)           2454419.6524         0.00085         146.5         -0.01320         (1)         2458817.477	2454405.70278	0.00200	82.5	-0.00537	(1)	2456681.89311	0.00029	10497.5	-0.01330	(5)
243-840.0586/8         0.00300         87         -0.00485         (1)         243/99/30581         0.00050         1514         -0.04125         (6)           254407.56118         0.00044         91         -0.00465         (2)         2457098.01251         0.00050         15147         -0.04212         (6)           245407.5618         0.00050         91.5         -0.00648         (2)         245803.04537         0.00171         16684         -0.01961         (5)           245407.6678         0.00050         91.5         -0.00252         (1)         245803.46575         0.00064         16684.5         -0.01721         (5)           245407.6678         0.00076         92         -0.00233         (2)         245803.7583         0.00050         16821         -0.02270         (6)           245419.63478         0.00200         100.5         -0.00277         (1)         245806.38463         0.00005         20268.5         0.01050         (7)           245419.6352         0.00085         146.5         -0.00974         (2)         245817.45767         0.00005         20269         0.00994         (7)           245419.6352         0.00085         146.5         -0.00974         (2)         2458819.73767         <	2454406.57678	0.00200	86.5	-0.00557	(1)	2457683.92001	0.00030	15082.5	-0.03815	(6)
2434407.5005         0.00046         91         -0.00527         (2)         245 (795.81251         0.00030         15147         -0.04322         (6)           2454407.5618         0.00058         91.5         -0.00465         (2)         245701.94521         0.00030         15165         -0.04332         (6)           2454407.66878         0.00050         91.5         -0.00265         (2)         2458033.46574         0.00044         16684.5         -0.01721         (5)           2454407.78205         0.00055         92         -0.00275         (1)         2458063.7853         0.00050         168215         -0.02270         (6)           2454419.63474         0.00200         105         -0.00275         (1)         2458817.46834         0.00005         16821         -0.02270         (6)           2454419.63474         0.00200         105         -0.00275         (1)         2458817.46747         0.00005         20269         0.00994         (7)           2454419.63479         0.00200         150.5         -0.00877         (1)         2458819.46324         0.00030         20279.5         0.01054         (6)           2454436.5078         0.00200         224         -0.01320         (1)         2458819.99114 </td <td>2454406.68678</td> <td>0.00300</td> <td>87</td> <td>-0.00485</td> <td>(1)</td> <td>2457697.90381</td> <td>0.00030</td> <td>15146.5</td> <td>-0.04155</td> <td>(6)</td>	2454406.68678	0.00300	87	-0.00485	(1)	2457697.90381	0.00030	15146.5	-0.04155	(6)
2454407.5618         0.00044         91         -0.00465         (2)         2457/10.34221         0.00030         15165         -0.04332         (6)           2454407.6683         0.00508         91.5         -0.00648         (2)         245803.34637         0.00071         16684         -0.01721         (5)           2454407.66978         0.00076         92         -0.00233         (2)         2458063.77583         0.00050         16820.5         -0.01222         (6)           2454407.8173         0.00060         100.5         -0.00277         (1)         2458063.77583         0.00050         16821         -0.02220         (6)           2454419.68262         0.00085         146.5         -0.00974         (2)         245817.47767         0.00000         20269.5         0.01050         (7)           2454436.50978         0.00200         150.5         -0.00877         (1)         245819.6324         0.0030         20279         0.01001         (6)           2454436.50978         0.00200         150.5         -0.01320         (1)         2458819.48114         0.0040         20280.5         0.01094         (6)           2454436.61978         0.00200         223.5         -0.01320         (1)         2458819.48174	2454407.56056	0.00046	91	-0.00527	(2)	2457698.01251	0.00050	15147	-0.04212	(6)
2454407,66863         0.00058         91.5         -0.00648         (2)         245803,49637         0.00171         16684         -0.01961         (5)           2454407,67878         0.00050         91.5         -0.00232         (1)         2458034,05805         0.00045         166845         -0.01721         (5)           2454407,6787         0.00005         92         -0.00233         (2)         245803,416574         0.00050         16685         -0.01222         (6)           2454409,63478         0.00200         100.5         -0.00277         (1)         2458063,88463         0.00050         16821         -0.02220         (6)           2454419,63542         0.00005         1665         -0.00277         (1)         2458817,36896         0.00004         20268.5         0.01050         (7)           2454419,63524         0.00085         146.5         -0.00877         (1)         2458819,7334         0.00000         20279.5         0.01054         (6)           2454420,56078         0.00200         224.5         -0.01320         (1)         2458819,814         0.00040         20280         0.00936         (6)           2454436,67978         0.00200         224.5         -0.01317         (1)         2458823,0	2454407.56118	0.00044	91	-0.00465	(2)	2457701.94521	0.00030	15165	-0.04332	(6)
2454407.66978         0.000500         91.5         -0.00232         (1)         2458407.7813         0.00076         92         -0.00233         (2)         245803.416574         0.00050         16685         -0.01227         (6)           2454407.78205         0.00085         92         -0.00277         (1)         245803.88463         0.00050         16821         -0.02270         (6)           2454410.62278         0.00060         105         -0.00727         (1)         2458817.36896         0.00004         20268.5         0.01050         (7)           2454419.6556         0.00085         146.5         -0.00974         (2)         2458817.4767         0.00000         20279         0.01011         (6)           2454420.56078         0.00200         150.5         -0.01392         (1)         2458819.6324         0.00040         20280         0.00936         (6)           2454436.61978         0.00200         224.5         -0.01320         (1)         2458819.8819.481         0.00040         2028.0         0.00936         (7)           2454438.61978         0.000061         232.5         -0.01320         (1)         245883.047879         0.00014         20328.5         0.000971         (7)           2454438.	2454407.66863	0.00058	91.5	-0.00648	(2)	2458033.94637	0.00171	16684	-0.01961	(5)
2454407.78173         0.00076         92         -0.00255         (2)         2458407.78174         0.00065         16685         -0.01879         (5)           2454407.78173         0.00005         100.5         -0.00233         (2)         2458063.77583         0.00000         16821         -0.02270         (6)           2454407.8278         0.00060         105         -0.00275         (1)         2458063.8786         0.00005         20269         0.00994         (7)           2454419.6526         0.00085         146.5         -0.00974         (2)         2458817.47767         0.00005         20269         0.00994         (7)           2454419.79298         0.00184         147         -0.011877         (1)         2458819.48114         0.00000         20279         0.01001         (6)           2454436.50978         0.00200         224         -0.01320         (1)         2458819.88114         0.00040         20280.5         0.01009         (6)           2454436.72908         0.00080         224.5         -0.01320         (1)         2458823.15856         0.00071         2028.5         0.000936         (7)           2454438.47740         0.00061         232.5         -0.01297         (1)         245883.04879	2454407.66978	0.00500	91.5	-0.00532	(1)	2458034.05805	0.00044	16684.5	-0.01721	(5)
2454407.78205         0.00085         92         -0.00233         (2)         2458063.77583         0.00050         16820.5         -0.02222         (6)           2454409.63478         0.00200         100.5         -0.00277         (1)         2458063.88463         0.00050         16821         -0.02270         (6)           245410.62278         0.00001         105         -0.00275         (1)         2458817.36896         0.00004         20268.5         0.01050         (7)           2454419.68562         0.00085         146.5         -0.00974         (2)         2458817.36896         0.00004         20269.5         0.01051         (6)           2454420.56078         0.00200         150.5         -0.00877         (1)         2458819.7304         0.00004         20280.5         0.01094         (6)           2454436.61978         0.00200         224.5         -0.01317         (1)         2458819.99114         0.00040         20280.5         0.00917         (7)           2454438.67768         0.00070         232.5         -0.01297         (1)         245883.047879         0.00014         20328.5         0.00733         (7)           2454438.47768         0.00070         232.5         -0.01287         (1)	2454407.78173	0.00076	92	-0.00265	(2)	2458034.16574	0.00065	16685	-0.01879	(5)
2454409.63478         0.00200         100.5         -0.00727         (1)         2458063.88463         0.00050         16821         -0.02270         (6)           2454410.62278         0.00600         105         -0.00275         (1)         2458817.36896         0.00004         20268.5         0.01050         (7)           2454419.68562         0.00085         146.5         -0.00974         (2)         2458817.7767         0.00005         20269         0.00994         (7)           2454419.68562         0.00200         150.5         -0.00877         (1)         2458819.77304         0.00040         20280.5         0.01054         (6)           2454436.61978         0.00200         223.5         -0.01320         (1)         2458819.799114         0.00040         20280.5         0.01009         (6)           2454436.61978         0.00000         223.5         -0.01326         (2)         2458823.15856         0.00007         20295         0.00853         (7)           2454438.47768         0.00070         232.5         -0.01287         (1)         245883.047879         0.00014         20328.5         0.00733         (7)           2454438.47778         0.00200         23.5         -0.01287         (1)         2	2454407.78205	0.00085	92	-0.00233	(2)	2458063.77583	0.00050	16820.5	-0.02222	(6)
2454410.62278         0.00600         105         -0.00275         (1)         2458817.36896         0.00004         20268.5         0.01050         (7)           2454419.68562         0.00085         146.5         -0.00974         (2)         2458817.47767         0.00005         20269         0.00994         (7)           2454419.79298         0.00184         147         -0.01165         (2)         2458819.819.66324         0.00030         20279.5         0.01054         (6)           2454436.50978         0.00200         123.5         -0.01392         (1)         2458819.8114         0.00040         20280.5         0.01099         (6)           2454436.79908         0.00080         224.4         -0.01326         (2)         2458812.315856         0.00007         2028.5         0.00917         (7)           2454438.47768         0.00070         232.5         -0.01297         (1)         2458830.47879         0.00014         20328.5         0.00733         (7)           2454438.47768         0.00070         232.5         -0.01287         (1)         2458837.13279         0.00014         20328.5         0.00733         (7)           2454438.4778         0.00200         233.5         -0.01297         (1)         <	2454409.63478	0.00200	100.5	-0.00727	(1)	2458063.88463	0.00050	16821	-0.02270	(6)
2454419.68562       0.00085       146.5       -0.00974       (2)       2458817.47767       0.00005       20269       0.00994       (7)         2454419.79298       0.00184       147       -0.01165       (2)       2458819.66324       0.00030       20279       0.01001       (6)         245442.05.6078       0.00200       150.5       -0.00877       (1)       2458819.77304       0.00040       20280.5       0.01099       (6)         245443.65.0978       0.00200       224.       -0.01320       (1)       2458819.77304       0.00040       20280.5       0.00109       (6)         2454436.61978       0.00200       224.5       -0.01326       (2)       2458823.04993       0.00007       20295       0.00853       (7)         2454438.47768       0.00070       232.5       -0.01287       (1)       245883.047879       0.00014       20328.5       0.00733       (7)         2454438.58678       0.00200       233.5       -0.01287       (1)       2458837.14253       0.00008       20329       0.00689       (7)         2454438.58678       0.00200       233.5       -0.01287       (1)       2458837.03379       0.00007       2358.5       0.00530       (7)         2454438.6	2454410.62278	0.00600	105	-0.00275	(1)	2458817.36896	0.00004	20268.5	0.01050	(7)
2454419.79298       0.00184       147       -0.01165       (2)       245819.66324       0.00030       20279       0.01001       (6)         2454420.56078       0.00200       150.5       -0.00877       (1)       2458819.77304       0.00090       20279.5       0.01054       (6)         2454436.50978       0.00300       223.5       -0.01392       (1)       2458819.88114       0.00040       20280.5       0.01099       (6)         2454436.61978       0.00006       224.5       -0.01317       (1)       245883.04993       0.00005       20294.5       0.00917       (7)         2454438.47768       0.00070       232.5       -0.01297       (1)       2458830.47879       0.00014       20328.5       0.00733       (7)         2454438.47778       0.00200       232.5       -0.01287       (1)       2458830.47879       0.00014       20328.5       0.00733       (7)         2454438.58678       0.00200       233.5       -0.01327       (1)       2458830.58762       0.00008       20329       0.00689       (7)         2454438.59678       0.00200       233.5       -0.01342       (1)       2459849.3302       0.00026       23617.5       0.05061       (8)         2454438.	2454419.68562	0.00085	146.5	-0.00974	(2)	2458817.47767	0.00005	20269	0.00994	(7)
2454420.56078       0.00200       150.5       -0.00877       (1)       2458819.77304       0.00090       20279.5       0.01054       (6)         2454436.50978       0.00300       223.5       -0.01320       (1)       2458819.88114       0.00040       20280       0.00936       (6)         2454436.61978       0.00000       224.5       -0.01320       (1)       2458819.99114       0.00040       20280.5       0.00091       (6)         2454436.72908       0.000061       232.5       -0.01326       (2)       2458823.04993       0.00007       20295.5       0.00917       (7)         2454438.47778       0.00001       232.5       -0.01297       (1)       2458830.47879       0.00014       20328.5       0.00733       (7)         2454438.47778       0.00002       232.5       -0.01287       (1)       2458837.0379       0.00007       20358.5       0.00583       (7)         2454438.58678       0.00200       233       -0.01432       (2)       2458837.0379       0.00007       20358.5       0.00583       (7)         2454438.69678       0.00200       233.5       -0.01422       (1)       2459574.34923       0.00002       23732       0.04331       (8)         245443	2454419.79298	0.00184	147	-0.01165	(2)	2458819.66324	0.00030	20279	0.01001	(6)
2454436.509780.00300223.5-0.01392(1)2458819.881140.00040202800.00936(6)2454436.619780.00200224-0.01320(1)2458819.991140.0004020280.50.01009(6)2454436.729080.00080224.5-0.01317(1)2458823.049930.0000520294.50.00917(7)2454438.477400.00061232.5-0.01226(2)2458823.158560.00007202950.00853(7)2454438.477780.00200232.5-0.01287(1)2458830.478790.0001420328.50.00733(7)2454438.585610.00053233-0.01432(2)2458837.033790.0000720358.50.00583(7)2454438.696780.00200233.5-0.01242(1)2459549.33020.0002623617.50.05061(8)2454438.698120.00144233.5-0.01109(2)2459574.349230.00060237320.04285(8)2454438.698780.00300237.5-0.01491(2)2459574.454770.00060237320.04331(8)2455444.376600.00047259.5-0.01491(2)2459574.454770.0001023732.50.04320(8)2455539.480600.0030052700.04440(3)2459574.454770.001023732.50.04339(8)2455539.589950.003005270.50.04440(3)2459574.459750.0012023732.50.04339(8)	2454420.56078	0.00200	150.5	-0.00877	(1)	2458819.77304	0.00090	20279.5	0.01054	(6)
2454436.619780.00200224-0.01320(1)2458819.991140.0004020280.50.01009(6)2454436.729080.00080224.5-0.01317(1)2458823.049930.0000520294.50.00917(7)2454438.477400.00061232.5-0.01326(2)2458823.158560.00007202950.00853(7)2454438.477680.00070232.5-0.01297(1)245883.0478790.0001420328.50.00689(7)2454438.585610.00053233-0.01432(2)245883.0587620.00008203290.00689(7)2454438.696780.002002330.011315(1)245883.0587620.00008203590.00530(7)2454438.698120.00144233.5-0.01109(2)245974.349230.00060237320.04285(8)2454439.569780.00300237.5-0.01491(2)2459574.349230.00000237320.04331(8)2455439.480430.0030052700.04415(3)2459574.454870.0006023732.50.03921(8)2455539.480600.003005270.50.04440(3)2459574.454770.0001023732.50.04339(8)2455539.589950.003005270.50.04440(3)2459574.457720.001023732.50.04339(8)2455539.589950.003005270.50.04441(3)2459574.45950.0012023732.50.04339(8) <td>2454436.50978</td> <td>0.00300</td> <td>223.5</td> <td>-0.01392</td> <td>(1)</td> <td>2458819.88114</td> <td>0.00040</td> <td>20280</td> <td>0.00936</td> <td>(6)</td>	2454436.50978	0.00300	223.5	-0.01392	(1)	2458819.88114	0.00040	20280	0.00936	(6)
2454436.729080.00080224.5-0.01317(1)2458823.049930.0000520294.50.00917(7)2454438.477400.00061232.5-0.01326(2)2458823.158560.00007202950.00853(7)2454438.477680.00070232.5-0.01297(1)2458830.478790.0001420328.50.00733(7)2454438.477780.00200232.5-0.01287(1)2458830.587620.00008203290.00689(7)2454438.585610.00050233-0.01432(2)2458837.142530.0000720358.50.00530(7)2454438.696780.00500233.5-0.01242(1)2459549.333020.00060237320.04285(8)2454438.696780.00500237.5-0.01363(1)2459574.349230.00060237320.04331(8)2454438.696780.000047259.5-0.01491(2)2459574.454870.0006023732.50.03921(8)2455439.480600.0030052700.04445(3)2459574.454770.0001023732.50.04330(8)2455539.589950.003005270.50.04440(3)2459574.457720.0001023732.50.04339(8)2455570.288320.003005270.50.04440(3)2459574.459050.0012023732.50.04339(8)2455570.397850.0030054110.03660(3)2459916.298290.0001025297-0.03884(	2454436.61978	0.00200	224	-0.01320	(1)	2458819.99114	0.00040	20280.5	0.01009	(6)
2454438.477400.00061232.5-0.01326(2)2458823.158560.00007202950.00853(7)2454438.477680.00070232.5-0.01297(1)2458830.478790.0001420328.50.00733(7)2454438.477780.00200232.5-0.01287(1)2458830.587620.00008203290.00689(7)2454438.585610.00053233-0.01432(2)2458837.033790.0000720358.50.00583(7)2454438.586780.00200233-0.01242(1)2459549.33020.0002623617.50.05061(8)2454438.696780.00300237.5-0.01242(1)2459574.349230.00060237320.04285(8)2454438.696780.00300237.5-0.01363(1)2459574.349690.00020237320.04350(8)2454439.569780.00300237.5-0.01461(3)2459574.457870.0006023732.50.03921(8)245539.480600.0030052700.04415(3)2459574.45770.001023732.50.04339(8)245539.589950.003005270.50.04440(3)2459574.45770.001023732.50.04339(8)2455570.288320.003005270.50.04440(3)2459574.45760.001023732.50.04339(8)2455570.288320.0030054110.03660(3)2459916.298490.001125297-0.03884(8)<	2454436.72908	0.00080	224.5	-0.01317	(1)	2458823.04993	0.00005	20294.5	0.00917	(7)
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2454438.47740	0.00061	232.5	-0.01326	(2)	2458823.15856	0.00007	20295	0.00853	(7)
2454438.477780.00200232.5-0.01287(1)2458830.587620.00008203290.00689(7)2454438.585610.00053233-0.01432(2)2458837.033790.0000720358.50.00583(7)2454438.586780.00200233-0.01315(1)2458837.142530.00008203590.00530(7)2454438.696780.00500233.5-0.01242(1)2459549.333020.0002623617.50.05061(8)2454438.698120.00144233.5-0.01109(2)2459574.349230.00060237320.04285(8)2454439.569780.00300237.5-0.01363(1)2459574.349690.00020237320.04350(8)2454443.76600.00047259.5-0.01491(2)2459574.454870.0006023732.50.03921(8)2455539.480430.0030052700.04415(3)2459574.454770.0001023732.50.04339(8)2455539.589950.003005270.50.04440(3)2459574.459050.0012023732.50.04339(8)2455570.288430.003005270.50.04441(3)2459916.298290.0001025297-0.03844(8)2455570.397850.0030054110.03660(3)2459916.408770.0001025297.5-0.03844(8)2455570.397850.003005411.50.03672(3)2459916.408280.0002325297.5-0.03813(8)	2454438.47768	0.00070	232.5	-0.01297	(1)	2458830.47879	0.00014	20328.5	0.00733	(7)
2454438.585610.00053233-0.01432(2)2458837.033790.0000720358.50.00583(7)2454438.586780.00200233-0.01315(1)2458837.142530.00008203590.00530(7)2454438.696780.00500233.5-0.01242(1)2459549.333020.0002623617.50.05061(8)2454438.698120.00144233.5-0.01109(2)2459574.349230.00060237320.04285(8)2454439.569780.00300237.5-0.01363(1)2459574.349690.00020237320.04350(8)2454443.76600.00047259.5-0.01491(2)2459574.349880.00010237320.04350(8)2455539.480430.0030052700.04415(3)2459574.454870.0006023732.50.03921(8)2455539.480600.003005270.50.04440(3)2459574.457720.0011023732.50.04339(8)2455539.589950.003005270.50.04440(3)2459714.457720.0001023732.50.04339(8)2455570.288320.003005270.50.044451(3)2459916.298290.0001025297-0.03844(8)2455570.288430.0030054110.03660(3)2459916.298490.0001125297-0.03884(8)2455570.397850.003005411.50.03672(3)2459916.408070.0001625297.5-0.03813(8)<	2454438.47778	0.00200	232.5	-0.01287	(1)	2458830.58762	0.00008	20329	0.00689	(7)
2454438.586780.00200233-0.01315(1)2458837.142530.00008203590.00530(7)2454438.696780.00500233.5-0.01242(1)2459549.33020.0002623617.50.05061(8)2454438.698120.00144233.5-0.01109(2)2459574.349230.00060237320.04285(8)2454439.569780.00300237.5-0.01363(1)2459574.349690.00020237320.04331(8)2454443.76600.00047259.5-0.01491(2)2459574.349880.00010237320.04350(8)2455539.480430.0030052700.04415(3)2459574.454870.0006023732.50.03921(8)2455539.480600.0030052700.04432(3)2459574.4547720.0011023732.50.04206(8)2455539.589950.003005270.50.04440(3)2459574.459050.0012023732.50.04339(8)2455570.288320.003005270.50.04451(3)2459916.297910.002925297-0.03824(8)2455570.288430.0030054110.03660(3)2459916.298490.001125297-0.03864(8)2455570.397830.003005411.50.03672(3)2459916.408070.0001625297.5-0.03814(8)2455570.397850.003005411.50.03674(3)2459916.408300.0002325297.5-0.03813(8) <td>2454438.58561</td> <td>0.00053</td> <td>233</td> <td>-0.01432</td> <td>(2)</td> <td>2458837.03379</td> <td>0.00007</td> <td>20358.5</td> <td>0.00583</td> <td>(7)</td>	2454438.58561	0.00053	233	-0.01432	(2)	2458837.03379	0.00007	20358.5	0.00583	(7)
2454438.696780.00500233.5-0.01242(1)2459549.333020.0002623617.50.05061(8)2454438.698120.00144233.5-0.01109(2)2459574.349230.00060237320.04285(8)2454439.569780.00300237.5-0.01363(1)2459574.349690.00020237320.04331(8)2454443.376600.00047259.5-0.01491(2)2459574.349690.00010237320.04350(8)2455539.480430.0030052700.04415(3)2459574.454870.0006023732.50.03921(8)2455539.480600.0030052700.04432(3)2459574.4547720.0011023732.50.04206(8)2455539.589950.003005270.50.04440(3)2459574.459050.0012023732.50.04339(8)2455570.288320.003005270.50.04440(3)2459916.297910.002925297-0.03922(8)2455570.288430.0030054110.03660(3)2459916.298290.0001025297-0.03884(8)2455570.397830.003005411.50.03672(3)2459916.408070.0001625297.5-0.03814(8)2455570.397850.003005411.50.03674(3)2459916.408280.0002325297.5-0.03813(8)2455570.397850.003005411.50.03674(3)2459916.408300.0002325297.5-0.03811 <t< td=""><td>2454438.58678</td><td>0.00200</td><td>233</td><td>-0.01315</td><td>(1)</td><td>2458837.14253</td><td>0.00008</td><td>20359</td><td>0.00530</td><td>(7)</td></t<>	2454438.58678	0.00200	233	-0.01315	(1)	2458837.14253	0.00008	20359	0.00530	(7)
2454438.698120.00144233.5-0.01109(2)2459574.349230.00060237320.04285(8)2454439.569780.00300237.5-0.01363(1)2459574.349690.00020237320.04331(8)2454443.76600.00047259.5-0.01491(2)2459574.349880.00010237320.04350(8)2455539.480430.0030052700.04415(3)2459574.454870.0006023732.50.03921(8)2455539.480600.0030052700.04432(3)2459574.4547720.0001023732.50.04206(8)2455539.589950.003005270.50.04440(3)2459574.459050.0012023732.50.04339(8)2455539.590060.003005270.50.04440(3)2459916.297910.002925297-0.03922(8)2455570.288320.0030054110.03669(3)2459916.298290.0001025297-0.03884(8)2455570.397830.003005411.50.03672(3)2459916.298490.0001125297.5-0.03834(8)2455570.397850.003005411.50.03674(3)2459916.408070.0001625297.5-0.03813(8)2455570.397850.003005411.50.03674(3)2459916.408280.0002325297.5-0.03813(8)2456671.078770.0050010448-0.00941(4)2459916.408300.0002125297.5-0.03811 <t< td=""><td>2454438.69678</td><td>0.00500</td><td>233.5</td><td>-0.01242</td><td>(1)</td><td>2459549.33302</td><td>0.00026</td><td>23617.5</td><td>0.05061</td><td>(8)</td></t<>	2454438.69678	0.00500	233.5	-0.01242	(1)	2459549.33302	0.00026	23617.5	0.05061	(8)
2454439.569780.00300237.5-0.01363(1)2459574.349690.00020237320.04331(8)2454444.376600.00047259.5-0.01491(2)2459574.349880.00010237320.04350(8)2455539.480430.0030052700.04415(3)2459574.454870.0006023732.50.03921(8)2455539.480600.0030052700.04432(3)2459574.454870.0001023732.50.04206(8)2455539.589950.003005270.50.04440(3)2459574.459050.0012023732.50.04339(8)2455539.590660.003005270.50.04440(3)2459916.297910.002925297-0.03922(8)2455570.288320.0030054110.03649(3)2459916.298290.0001025297-0.03884(8)2455570.288430.0030054110.03660(3)2459916.298490.0001125297-0.03864(8)2455570.397830.003005411.50.03672(3)2459916.408070.0001625297.5-0.03834(8)2455570.397850.003005411.50.03674(3)2459916.408280.0002325297.5-0.03813(8)2456671.078770.0050010448-0.00941(4)2459916.408300.0002125297.5-0.03811(8)	2454438.69812	0.00144	233.5	-0.01109	(2)	2459574.34923	0.00060	23732	0.04285	(8)
2454444.376600.00047259.5-0.01491(2)2459574.349880.00010237320.04350(8)2455539.480430.0030052700.04415(3)2459574.454870.0006023732.50.03921(8)2455539.480600.0030052700.04432(3)2459574.454870.0001023732.50.04206(8)2455539.589950.003005270.50.04440(3)2459574.459050.0012023732.50.04339(8)2455539.590660.003005270.50.04451(3)2459916.297910.0002925297-0.03922(8)2455570.288320.0030054110.03649(3)2459916.298290.0001025297-0.03884(8)2455570.288430.0030054110.03660(3)2459916.298490.0001125297-0.03864(8)2455570.397830.003005411.50.03672(3)2459916.408070.0001625297.5-0.03834(8)2455570.397850.003005411.50.03674(3)2459916.408280.0002325297.5-0.03813(8)2456671.078770.0050010448-0.00941(4)2459916.408300.0002125297.5-0.03811(8)	2454439.56978	0.00300	237.5	-0.01363	(1)	2459574.34969	0.00020	23732	0.04331	(8)
2455539.480430.0030052700.04415(3)2459574.454870.0006023732.50.03921(8)2455539.480600.0030052700.04432(3)2459574.457720.0001023732.50.04206(8)2455539.589950.003005270.50.04440(3)2459574.459050.0012023732.50.04339(8)2455539.590660.003005270.50.04440(3)2459916.297910.0002925297-0.03922(8)2455570.288320.0030054110.03649(3)2459916.298290.0001025297-0.03884(8)2455570.288430.0030054110.03660(3)2459916.298490.0001125297-0.03864(8)2455570.397830.003005411.50.03672(3)2459916.408070.0001625297.5-0.03834(8)2455570.397850.003005411.50.03674(3)2459916.408280.0002325297.5-0.03813(8)2456671.078770.0050010448-0.00941(4)2459916.408300.0002125297.5-0.03811(8)	2454444.37660	0.00047	259.5	-0.01491	(2)	2459574.34988	0.00010	23732	0.04350	(8)
2455539.480600.0030052700.04432(3)2459574.457720.0001023732.50.04206(8)2455539.589950.003005270.50.04440(3)2459574.459050.0012023732.50.04339(8)2455539.590060.003005270.50.04451(3)2459916.297910.0002925297-0.03922(8)2455570.288320.0030054110.03649(3)2459916.298290.0001025297-0.03884(8)2455570.288430.0030054110.03660(3)2459916.298490.0001125297-0.03864(8)2455570.397830.003005411.50.03672(3)2459916.408070.0001625297.5-0.03834(8)2455570.397850.003005411.50.03674(3)2459916.408280.0002325297.5-0.03813(8)2456671.078770.0050010448-0.00941(4)2459916.408300.0002125297.5-0.03811(8)	2455539.48043	0.00300	5270	0.04415	(3)	2459574.45487	0.00060	23732.5	0.03921	(8)
2455539.589950.003005270.50.04440(3)2459574.459050.0012023732.50.04339(8)2455539.590060.003005270.50.04451(3)2459916.297910.0002925297-0.03922(8)2455570.288320.0030054110.03649(3)2459916.298290.0001025297-0.03884(8)2455570.288430.0030054110.03660(3)2459916.298490.0001125297-0.03864(8)2455570.397830.003005411.50.03672(3)2459916.408070.0001625297.5-0.03834(8)2455570.397850.003005411.50.03674(3)2459916.408280.0002325297.5-0.03813(8)2456671.078770.0050010448-0.00941(4)2459916.408300.0002125297.5-0.03811(8)	2455539.48060	0.00300	5270	0.04432	(3)	2459574.45772	0.00010	23732.5	0.04206	(8)
2455539.590060.003005270.50.04451(3)2459916.297910.0002925297-0.03922(8)2455570.288320.0030054110.03649(3)2459916.298290.0001025297-0.03884(8)2455570.288430.0030054110.03660(3)2459916.298490.0001125297-0.03864(8)2455570.397830.003005411.50.03672(3)2459916.408070.0001625297.5-0.03834(8)2455570.397850.003005411.50.03674(3)2459916.408280.0002325297.5-0.03813(8)2456671.078770.0050010448-0.00941(4)2459916.408300.0002125297.5-0.03811(8)	2455539.58995	0.00300	5270.5	0.04440	(3)	2459574.45905	0.00120	23732.5	0.04339	(8)
2455570.28832       0.00300       5411       0.03649       (3)       2459916.29849       0.00010       25297       -0.03884       (8)         2455570.28843       0.00300       5411       0.03660       (3)       2459916.29849       0.00010       25297       -0.03884       (8)         2455570.28843       0.00300       5411       0.03660       (3)       2459916.29849       0.00011       25297       -0.03884       (8)         2455570.39783       0.00300       5411.5       0.03672       (3)       2459916.40807       0.00016       25297.5       -0.03834       (8)         2455570.39785       0.00300       5411.5       0.03674       (3)       2459916.40828       0.00023       25297.5       -0.03813       (8)         2456671.07877       0.00500       10448       -0.00941       (4)       2459916.40830       0.00021       25297.5       -0.03811       (8) <td>2455539.59006</td> <td>0.00300</td> <td>5270.5</td> <td>0.04451</td> <td>(3)</td> <td>2459916.29791</td> <td>0.00029</td> <td>25297</td> <td>-0.03922</td> <td>(8)</td>	2455539.59006	0.00300	5270.5	0.04451	(3)	2459916.29791	0.00029	25297	-0.03922	(8)
2455570.28843       0.00300       5411       0.03660       (3)       2459916.29849       0.00011       25297       -0.03864       (8)         2455570.39783       0.00300       5411.5       0.03672       (3)       2459916.40807       0.00016       25297.5       -0.03834       (8)         2455570.39785       0.00300       5411.5       0.03674       (3)       2459916.40828       0.00023       25297.5       -0.03813       (8)         2456671.07877       0.00500       10448       -0.00941       (4)       2459916.40830       0.00021       25297.5       -0.03811       (8)	2455570.28832	0.00300	5411	0.03649	(3)	2459916.29829	0.00010	25297	-0.03884	(8)
2455570.39783       0.00300       5411.5       0.03672       (3)       2459916.40807       0.00016       25297.5       -0.03834       (8)         2455570.39785       0.00300       5411.5       0.03674       (3)       2459916.40828       0.00023       25297.5       -0.03813       (8)         2456671.07877       0.00500       10448       -0.00941       (4)       2459916.40830       0.00021       25297.5       -0.03811       (8)	2455570.28843	0.00300	5411	0.03660	(3)	2459916.29849	0.00011	25297	-0.03864	(8)
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2455570.39783	0.00300	5411.5	0.03672	(3)	2459916.40807	0.00016	25297.5	-0.03834	(8)
2456671.07877 0.00500 10448 $-0.00941$ (4) $2459916.40830$ 0.00021 $25297.5$ $-0.03811$ (8)	2455570.39785	0.00300	5411.5	0.03674	(3)	2459916.40828	0.00023	25297.5	-0.03813	(8)
· · · · · · · · · · · · · · · · · · ·	2456671.07877	0.00500	10448	-0.00941	(4)	2459916.40830	0.00021	25297.5	-0.03811	(8)

**Reference:** (1) Christian et al. (2006), (2) SuperWASP, (3) Dimitrov et al. (2015), (4) Zhang et al. (2014b), (5) ASAS-SN, (6) Lu et al. (2020), (7) TESS, (8) This paper.



Figure 3. The O - C diagram of LX Lyn formed by all available measurements with the linear ephemeris Equation (1). The black line refers to periodic variation. The corresponding O - C residuals are displayed in the bottom panel.



**Figure 4.** In the top panel, the red line represents, relative to Equation (3), the expected O - C curve based on Equation (4). The O - C residuals are displayed in the bottom panel.

albedo  $A_1 = A_2 = 0.5$  (Ruciński 1969), and the gravitydarkening exponents were chosen as  $g_1 = g_2 = 0.32$ (Lucy 1967). The bolometric limb-darkening coefficients and limb-darkening coefficients were computed via the linear darkening law from Van Hamme (1993).



**Figure 5.** The  $\Sigma$ -q curve determined by the W-D program applied to LX Lyn.

## 4.1. LX Lyn

Based on the LAMOST data, we set the temperature of the primary to 4780 K (Green et al. 2019). LX Lyn has been classified as a W UMa type EB (Terrell et al. 2014), so we used mode 3 (contact mode) to analyze its LCs. The q-search method is utilized to ascertain the appropriate mass ratio. It is found that the lowest point of the q-search curve is about 2.31. It should be noted that the LCs of LX Lyn have a negative O'Connell effect (O'Connell 1951). In order to fit the LCs of the system better, we adopted a cool starspot model. After many times fitting, we get the best photometric solutions with one spot on the primary component. Our best photometric elements together with the published results are listed in Table 4. The q-search curve of LX Lyn is plotted in Figure 5. The theoretical LCs calculated with the cool-spots are shown in Figure 6 and the geometrical structure of the system is illustrated in Figure 7.

Additionally, we analyzed the LCs from TESS( $LC_{TESS2019}$  and  $LC_{TESS2021}$ ), which also exhibit an obvious asymmetry. During our fitting, we also fixed the temperature  $T_1$  at 4780 K and added a cool starspot. It should be noted that  $LC_{TESS2019}$  and  $LC_{TESS2021}$  show different O'Connell effects. The final photometric solutions are listed in Table 4, and the theoretical LCs are shown in Figure 6(a) and (b), respectively.

#### 4.2. V0853 Aur

Based on published results, the temperature of the primary star was adopted as 5560 K. Using the same method, we fitted the LCs of V0853 Aur with mode 3 and the same adjustable parameters. We noted that the LCs of V0853 Aur still have an obvious asymmetry, and the differential magnitude of phase 0.25 is approximately 0.1 mag less than phase 0.75. So, we

6

			i notometre Solutions	ior Ert Eyn		
Parameter	Observed	Data in 2020	TESS	5 Data	Darwish et al. (2017)	Loukaidou et al. (2022)
	Without Spot	With Spot	2019	2021	× ,	, , , , , , , , , , , , , , , , , , ,
$g_1 = g_2$	0.32	0.32	0.32	0.32	0.32	
$A_1 = A_2$	0.50	0.50	0.50	0.50	0.50	
$T_1^a(\mathbf{K})$	4780	4780	4780	4780	4589	4650
$q = \frac{M_2}{M_1}$	$2.3139 \ (\pm 0.0285)$	2.3139 <sup>a</sup>	2.3870 (±0.0251)	2.3950 (±0.0040)	0.4732 (±0.0018)	0.451 (±0.0012)
T <sub>2</sub> (K)	4708 (±0.0008)	4696 (±0.0010)	4704 (±0.0006)	4686 (±0.0002)	4581 (±3)	4720(±12)
$i(^{\circ})$	84.882 (±0.5522)	85.245 (±0.6294)	85.546 (±0.5336)	83.979 (±0.0641)	82.70 (±0.27)	86.3 (±1.2)
$\frac{L_1}{L_1+L_2}$ (TESS)			0.3427 (±0.0202)	0.3428 (±0.0091)		
$\frac{L_1}{L_1+L_2}(V)$	0.3408 (±0.0330)	0.3450 (±0.0346)				
$\frac{L_1}{L_1+L_2}(R_c)$	0.3358 (±0.0464)	0.3391 (±0.0434)				
$\frac{L_1}{L_1+L_2}(I_c)$	0.3329 (±0.0664)	0.3357 (±0.0559)				
$\Omega_1 = \Omega_2$	5.6222 (±0.0357)	5.6140 (±0.0089)	5.5917 (±0.0330)	5.7266 (±0.0037)	2.7641 (±0.0046)	2.755 (±0.023)
$r_1(\text{pole})$	0.2937 (±0.0009)	0.2945 (±0.0007)	0.3022 (±0.0009)	0.2917 (±0.0002)	0.4293 (±0.0027)	
$r_1(side)$	0.3071 (±0.0010)	0.3080 (±0.0009)	0.3177 (±0.0010)	0.3050 (±0.0002)	0.4590 (±0.0036)	0.4557
$r_1(\text{back})$	0.3436 (±0.0013)	0.3449 (±0.0014)	0.3635 (±0.0014)	0.3418 (±0.0004)	0.4910 (±0.0520)	
r <sub>2</sub> (pole)	0.4329 (±0.0037)	0.4323 (±0.0007)	0.4452 (±0.0034)	0.4350 (±0.0004)	0.3064 (±0.0039)	
$r_2(side)$	0.4627 (±0.0050)	0.4619 (±0.0009)	0.4788 (±0.0047)	0.4652 (±0.0005)	0.3213 (±0.0048)	0.3097
r <sub>2</sub> (back)	0.4923 (±0.0070)	0.4914 (±0.0012)	$0.5125 \ (\pm 0.0068)$	0.4944 (±0.0007)	0.3617 (±0.0088)	
Spot		Primary	Primary	Primary		
Latitude(°)		29.0029 (±0.2731)	16.1479 (±0.0375)	33.8607 (±0.0101)		
Longitude(°)		253.0860 (±0.1326)	296.8894 (±0.2284)	272.9014 (±0.0287)		
Radius(°)		24.9032 (±0.1305)	24.9032 <sup>a</sup>	24.9032 <sup>a</sup>		
$T_s^a$		0.8054	0.8054	0.8054		
Mean residual	0.01	0.01	0.0024	0.002	0.0073	

 Table 4

 Photometric Solutions for LX Lyn

Reference: Fixed parameters in our analysis.



**Figure 6.** The different colored circles represent observed data, and the solid lines are theoretical LCs with cool starspots. The fitting residuals in different bands are plotted in the bottom panel. The LCs from TESS are depicted in Figure 6(a)(TESS2019) and Figure 6(b)(TESS2021)

added the cool starspot during our analysis. At the beginning, we carried out a q-search ranging from 0.1 to 5 for the mass ratio. The q-search result shows that the possible value of the mass ratio is near q = 2.7727. Subsequently, we input the value of mass ratio as q = 2.7727, and set it as an adjustable parameter. In order to get the best photometric results, a third light  $(l_3)$  is also added. The final photometric solutions are listed in Table 5. The q-search curve of V0853 Aur is plotted in Figure 8. The theoretical LCs of TESS and ours are shown in Figure 9(a) and (b), respectively. The geometric structure of the system is illustrated in Figure 10.

#### 5. Discussion and Conclusion

In Section 3, we analyzed the orbital period variations of LX Lyn and V0853 Aur. In Section 4, after fitting LCs of the targets, we obtained their photometric solutions. In this section, we will discuss the results of the above two sections in detail.

#### 5.1. Photometric Solution

Based on the photometric results, we calculate the contact degree as f = 12%, indicating that LX Lyn is a shallow-contact



Figure 7. Geometric structure of LX Lyn at phases of 0, 0.25, 0.5, and 0.75.

EB. We found that LX Lyn is a W-subtype EB with a mass ratio of q = 2.31 and an orbital inclination of  $i = 84^{\circ}.88$ . The temperature difference between the two components is about  $\Delta T = 72$  K. At the same time, the photometric solutions of TESS LCs from sector 20 and 47 are similar, although they have different exposure times. In addition, we also calculated the fundamental parameters of the target by using the empirical formula provided by Gazeas (2009),

 $\log M_{\rm l} = 0.725(59) \cdot \log P - 0.076(32) \cdot \log q + 0.365(32)$ (5)

$$\log M_2 = 0.725(59) \cdot \log P + 0.924(33) \cdot \log q + 0.365(32)$$
(6)

$$\log R_1 = 0.930(27) \cdot \log P - 0.141(14) \cdot \log q + 0.434(14),$$
(7)

$$\log R_2 = 0.930(29) \cdot \log P + 0.287(15) \cdot \log q + 0.434(16),$$
(8)

$$\log L_1 = 2.531(67) \cdot \log P - 0.512(51) \cdot \log q + 1.102(43),$$
(9)

$$\log L_2 = 2.531(63) \cdot \log P + 0.352(52) \cdot \log q + 1.102(41), (10)$$

where *p* is orbital period, *q* is mass ratio, *M* is the mass, *R* is the radius and *L* is the luminosity. The fundamental parameters we calculated for LX Lyn are  $M_1 = 0.311M_{\odot}$ ,  $M_2 = 0.719M_{\odot}$ ,  $R_1 = 0.584R_{\odot}$ ,  $R_2 = 0.836R_{\odot}$ ,  $L_1 = 0.173L_{\odot}$  and  $L_2 = 0.358L_{\odot}$  (Table 6), respectively. The LCs of LX Lyn show a negative O'Connell effect, which could be caused by magnetic activity from the components. In Table 4, we noted that the parameters

of cool starspots are somewhat different, which could be the result of the evolution of the starspots themselves (Zhang et al. 2014a). We also noted that the mass ratio of Loukaidou et al. (2022) is q = 0.451, which is exactly the reciprocal of q = 2.31. The photometric solutions reveal that LX Lyn is a totally EB system with a high orbital inclination (>85°), so our photometric physical parameters are reliable (Li et al. 2022).

Using the same method, we also obtained the photometric solutions of V0853 Aur. It is suggested that V0853 Aur is a W-subtype CEB with a mass ratio of q = 2.77. The contact degree (f = 26.3%) reveals that it is a medium contact system with a similar surface temperature of the components ( $\Delta T = 276$  K). According to Kepler's third law, we calculated the semimajor axis of the orbit to be  $a = 1.510R_{\odot}$ . Based on the photometric results, using the empirical formula provided by Gazeas (2009), the mass, radius and luminosity of the target were calculated as  $M_1 = 0.257 M_{\odot}, \ M_2 = 0.712 M_{\odot}, \ R_1 = 0.572 R_{\odot}, \ R_2 = 0.885 R_{\odot},$  $L_1 = 0.160 L_{\odot}$  and  $L_2 = 0.386 L_{\odot}$ , respectively. Due to the LCs of the system being asymmetric, we adopted a cool starspot model. A cool starspot on the surface of a star can destroy the symmetry of the LCs (Zhou et al. 2016; Zhang et al. 2018a). It should be noted that our photometric solutions have a significant difference with previously published results, such as the orbital inclination (i) and effective temperature of the secondary component  $(T_2)$ . One main reason for that is the migration of cool starspots. With the evolution of cool starspots, the photometric solutions of the target will be affected, such as V410 Aur (Liao et al. 2022) and EE Cet (Yang & Wang 2023). Moreover, we also found the third light

Research in Astronom	y and a	Astrophysics,	24:015022	(12pp)	, 2024	January
----------------------	---------	---------------	-----------	--------	--------	---------

		Photometric Solt	luons for v0853 Aur		
Parameter	Observed	Data in 2021	TESS Data	Zhang et al. (2014b)	Lu et al. (2020)
	Without Spot	With Spot		-	
$g_1 = g_2^a$	0.32	0.32	0.32		
$A_1 = A_2^a$	0.50	0.50	0.50		
$T_1(\mathbf{K})^a$	5560	5560	5560	4839 (±4)	6664
$q = \frac{M_2}{M_1}$	2.7727 (±0.0360)	$2.7727^{a}$	2.7727 (±0.0256)	2.74 (±0.01)	0.300 (±0.001)
$T_2(\mathbf{K})$	5284 (±0.0021)	5275 (±0.0019)	5286 (±0.0007)	4750 <sup>a</sup>	6817 (±21)
$i(^{\circ})$	79.259 (±1.3452)	80.103 (±0.7705)	80.197 (±0.5186)	72.13 (±0.06)	73.53 (±0.03)
$\frac{L_1}{L_1+L_2}$ (TESS)			0.3515 (±0.0091)		
$\frac{\frac{L_1}{L_1+L_2}}{\frac{L_1+L_2}{L_1+L_2}}(B)$				0.313 (±0.001)	0.72 (±0.02)
$\frac{L_1}{L_1+L_2}(V)$	0.3385 (±0.0285)	0.3402 (±0.0164)		0.307 (±0.001)	0.73 (±0.02)
$\frac{L_1}{L_1+L_2}(R_c)$	0.3305 (±0.0233)	0.3320 (±0.0143)			0.73 (±0.02)
$\frac{L_1}{L_1+L_2}(I_c)$	0.3235 (±0.0218)	0.3247 (±0.0146)			0.74 (±0.02)
$\frac{L_3}{L_1 + L_2 + L_3}$ (TESS)			0.2315 (±0.0032)		
$\frac{L_3}{L_1 + L_2 + L_3}(V)$	0.1879 (±0.0072)	0.1812 (±0.0045)			
$\frac{L_3}{L_1+L_2+L_3}(R_c)$	0.2308 (±0.0057)	0.2296 (±0.0037)			
$\frac{L_3}{L_1+L_2+L_3}(I_c)$	0.2900 (±0.0052)	0.2904 (±0.0035)			
$\Omega_1 = \Omega_2$	6.1520 (±0.0327)	6.1562 (±0.0423)	5.9255 (±0.0060)	6.211 (±0.003)	2.424 (±0.001)
$r_1(\text{pole})$	0.2866 (±0.0013)	0.2870 (±0.0012)	0.3053 (±0.0005)		0.5 (±0.2)
$r_1(side)$	0.3003 (±0.0016)	0.3008 (±0.0014)	0.3235 (±0.0007)		0.5 (±0.3)
r <sub>1</sub> (back)	0.3422 (±0.0033)	0.3433 (±0.0024)	0.3900 (±0.0016)		0.5 (±0.4)
$r_2(\text{pole})$	0.4506 (±0.0031)	0.4514 (±0.0039)	$0.4694 \ (\pm 0.0005)$		0.3 (±0.2)
$r_2(side)$	0.4846 (±0.0044)	0.4856 (±0.0054)	0.5107 (±0.0007)		0.3 (±0.3)
$r_2(\text{back})$	0.5146 (±0.0061)	0.5157 (±0.0075)	0.5493 (±0.0009)		0.3 (±0.5)
Spot		Primary	Primary	Primary	Primary
Latitude(°)		153.0562 (±0.0291)	153.7845 (±0.0105)	146.2 (±2.3)	$90^a$
Longitude(°)		273.2034 (±0.1109)	237.0269 (±0.0407)	278.6 (±0.9)	241.4 (±0.4)
Radius(°)		41.3965 <sup>a</sup>	41.3966 <sup>a</sup>	54.2 (±0.3)	22.7 (±0.3)
$T_s^a$		0.7595	0.7595	0.970 (±0.002)	0.9258 (±0.0061)
Mean residual	0.0016	0.0011	0.0018		0.24



Figure 8. The q-search curve of V0853 Aur.



Figure 9. Observational LCs of V0853 Aur along with the theoretical fits.

9



Figure 10. Geometric configuration of V0853 Aur at the phases of 0, 0.25, 0.5 and 0.75.

 Table 6

 The Fundamental Parameters for LX Lyn and V0853 Aur

Parameter	$M_1(M_{\odot})$	$M_2(M_{\odot})$	$R_1(R_{\odot})$	$R_2(R_{\odot})$	$L_1(L_{\odot})$	$L_2(L_{\odot})$	$a(R_{\odot})$
LX Lyn	0.311	0.719	0.584	0.836	0.173	0.358	1.537
•	$\pm 0.045$	$\pm 0.095$	$\pm 0.073$	$\pm 0.019$	$\pm 0.022$	$\pm 0.042$	$\pm 0.025$
V0853 Aur	0.257	0.712	0.572	0.885	0.160	0.386	1.510
	$\pm 0.034$	$\pm 0.094$	$\pm 0.074$	$\pm 0.015$	$\pm 0.024$	$\pm 0.058$	$\pm 0.027$

 Table 7

 Parameters of the Third Body for LX Lyn

Parameter	Value	Error	Unit
<i>P</i> <sub>3</sub>	14.8363	$\pm 0.55$	yr
Α	0.00191	$\pm 0.0007$	day
$a_{12} \sin i$	0.33095	$\pm 0.0123$	au
$f(\mathbf{m})$	0.000165	$\pm 0.0001$	$M_{\odot}$
$M_3(i = 90^\circ)$	0.06	$\pm 0.02$	$M_{\odot}$

 Table 8

 Parameters of the Third Body for V0853 Aur

Parameter	Value	Error	Unit
<i>P</i> <sub>3</sub>	9.6446	±0.0166	yr
Α	0.0337	$\pm 0.0006$	day
$a_{12} \sin i$	5.8308	$\pm 0.015$	au
$f(\mathbf{m})$	2.1335	$\pm 0.0785$	$M_{\odot}$
$M_3(i = 90^\circ)$	3.77	$\pm 0.06$	$M_{\odot}$

during our analysis, and the existence of the third light is another important reason. It should be noted that the parameters of the starspot are somewhat different, which could be the result of the evolution of starspots (Zhang et al. 2014b; Zhang et al. 2019).

## 5.2. Orbital Period Variation

By using the O - C method, we found that the O - C curves of LX Lyn and V0853 Aur show periodic variations. At present, cyclic period changes can be explained as resulting either from the magnetic activity of one or both components (Applegate 1992). If magnetic activity is the main reason, variations in the gravitational quadrupole moment ( $\Delta Q$ ) may result in observed oscillations (Zhang et al. 2018b). The changes of gravitational quadrupole moment  $\Delta Q$  can be calculated according to the following two formulas (Lanza & Rodonò 2002),

$$\Delta P = A \sqrt{2[1 - \cos(2\pi P/P_3)]}, \qquad (11)$$

 Table 9

 Some CEB Systems with a Third Body

							·				
Name	Р	<i>P</i> <sub>3</sub>	q	$M_1$	$M_2$	$R_1$	$R_2$	$T_1$	$M_{3\min}$	<i>f</i> Filling-out	Reference
	(days)	(yr)	$(M_2/M_1\;)$	$(M_{\odot})$	$(M_{\odot})$	$(R_{\odot})$	$(R_{\odot})$	(K)	$(M_{\odot})$	Factor	
V0853 Aur	0.21855	9.64	2.77	0.26	0.71	0.57	0.89	5560	3.77	26.3%	(1)
		$\pm 0.017$	$\pm 0.036$	$\pm 0.034$	$\pm 0.094$	$\pm 0.074$	$\pm 0.015$		$\pm 0.063$	$\pm 0.5\%$	
LX Lyn	0.21751	14.84	2.31	0.31	0.72	0.59	0.84	4780	0.06	12%	(1)
		$\pm 0.552$	$\pm 0.029$	$\pm 0.045$	$\pm 0.095$	$\pm 0.073$	$\pm 0.019$		$\pm 0.013$	$\pm 1\%$	
HH UMa	0.37549	19.25	0.30	1.22	0.36	1.34	0.83	6550	0.26	66%	(2)(3)
		$\pm 0.520$		$\pm 0.020$	$\pm 0.010$	$\pm 0.010$	$\pm 0.010$		$\pm 0.153$	$\pm 2\%$	
V471 Cas	0.33600	12.80	0.64	0.65	0.41	0.99	0.81	5975	0.12	8%	(4)
		$\pm 0.110$	$\pm 0.043$	$\pm 0.041$	$\pm 0.041$	$\pm 0.031$	$\pm 0.031$				
KIC 9532219	0.19815	3.27	1.20	0.72	0.86	0.60	0.66	5203	0.09		(5)
		$\pm 0.295$	$\pm 0.212$	$\pm 0.233$	$\pm 0.244$	$\pm 0.266$	$\pm 0.231$		$\pm 0.331$		
V0644 Ser	0.22072	9.15	1.95	0.29	0.56	0.48	0.65	4750	0.11	14%	(6)
		$\pm 5.05$	$\pm 0.139$	$\pm 0.411$	$\pm 0.450$	$\pm 0.414$	$\pm 0.520$		$\pm 0.167$	$\pm 0.5\%$	
V1110 Per	0.22815	15.86	0.65	0.84	0.55	0.74	0.67	5350	0.53	29%	(7)
		$\pm 5.05$	$\pm 0.022$	$\pm 0.010$	$\pm 0.022$	$\pm 0.009$	$\pm 0.009$		$\pm 0.14$	$\pm7\%$	
V0441 UMa	0.22771	14.50	0.40	0.85	0.34	0.80	0.50	4700	0.08	19%	(7)
		$\pm 0.01$		$\pm 0.005$	$\pm 0.006$	$\pm 0.054$	$\pm 0.034$		$\pm 0.01$	$\pm 2\%$	
AE Crv	0.22637	14.90	0.40	0.85	0.34	0.79	0.54	4650	0.11	10%	(7)
		$\pm 1.74$	$\pm 0.283$	$\pm 0.001$	$\pm 0.024$	$\pm 0.044$	$\pm 0.030$		$\pm 0.02$	$\pm 9\%$	
NSVS 13392702	0.26006	3.86	0.51	0.93	0.48	0.87	0.61	5150	0.10	11%	(7)
		$\pm 0.04$		$\pm 0.007$	$\pm 0.030$	$\pm 0.052$	$\pm 0.036$		$\pm 0.01$	$\pm 9\%$	
V1498 Her	0.22371	9.55	0.66	0.83	0.54	0.75	0.59	4700	0.27	13%	(7)
		$\pm 0.01$	$\pm 0.033$	$\pm 0.010$	$\pm 0.028$	$\pm 0.013$	$\pm 0.010$		$\pm 0.01$	$\pm7\%$	
V1067 Her	0.25811	49.02	0.58	0.92	0.54	0.86	0.64	5300	0.22	13%	(7)
		$\pm 3.20$	$\pm 0.036$	$\pm 0.010$	$\pm 0.034$	$\pm 0.017$	$\pm 0.013$		$\pm 0.01$	$\pm7\%$	
2MASS J21042404 +0731381	0.20909	2.78	0.31	0.81	0.25	0.75	0.41	4800	0.28	3%	(7)
		$\pm 0.05$	$\pm 0.041$	$\pm 0.005$	$\pm 0.033$	$\pm 0.023$	$\pm 0.013$		$\pm 0.01$	$\pm 2\%$	
1SWASP J212454.61 +203030.8	0.22783	8.78	0.43	0.85	0.36	0.78	0.50	5250	0.28	5%	(7)
		$\pm 0.94$	$\pm 0.007$	$\pm 0.002$	$\pm 0.006$	$\pm 0.004$	$\pm 0.004$		$\pm 0.01$	$\pm 5\%$	
V0694 Peg	0.22484	13.57	0.37	0.84	0.40	0.78	0.53	4700	0.06	16%	(7)
		$\pm 1.52$	$\pm 0.047$	$\pm 0.004$	$\pm 0.040$	$\pm 0.023$	$\pm 0.016$		$\pm 0.01$	$\pm 8\%$	

**Reference:** (1) This paper, (2) Wang et al. (2015), (3) Chang et al. (2023), (4) Kjurkchieva et al. (2019), (5) Lee et al. (2016), (6) Xu et al. (2022), (7) Loukaidou et al. (2022).

$$\frac{\Delta P}{P} = -9 \frac{\Delta Q}{M_{1,2}a^2},\tag{12}$$

where *a* is the separation between both components and *M* is the mass of the active component (Yang et al. 2012). For LX Lyn, we can compute the values of  $\Delta Q$  as follows,  $\Delta Q_1 =$  $2.47 \times 10^{48}$  g cm<sup>2</sup> and  $\Delta Q_2 = 5.70 \times 10^{48}$  g cm<sup>2</sup>. For V0853 Aur, we get the values of  $\Delta Q_1 = 5.33 \times 10^{49}$  g cm<sup>2</sup> and  $\Delta Q_2$  $= 1.48 \times 10^{50}$  g cm<sup>2</sup>. These results are evidently smaller than the typical values of  $10^{51}$ – $10^{52}$  g cm<sup>2</sup> for close binaries (Lanza & Rodonò 1999; Yang et al. 2014). Therefore, we can rule out the Applegate mechanism as a main reason for interpreting the cyclic variations of LX Lyn and V0853 Aur at present.

In the situation of LTTE working in a circular orbit, we calculated the parameters of the third body and listed them in Tables 7 and 8. According to the results of our analysis, the orbital period of the tertiary component of LX Lyn is  $P_3 = 14.84$  yr, and

the amplitude is A = 0.00191 days. For V0853 Aur, its period is  $P_3 = 9.64$  yr and the amplitude is A = 0.0337 days. According to the O - C fitting parameters, the distance of the binary system to the barycenter of the triple system can be calculated with the equation,

$$a_{12}\sin i_3 = A_3 \times c, \tag{13}$$

where *c* is the speed of the light and  $A_3$  is the amplitude of the O - C oscillation, i.e.,  $a_{12} \sin i = 0.331$  au (LX Lyn) and  $a_{12} \sin i = 5.83$  au (V0853 Aur). The mass function and the mass of the tertiary companion are computed with

$$f(m) = \frac{4\pi^2}{GP_3^2} \times (a_{12}\sin i)^3 = \frac{(M_3\sin i)^3}{(M_1 + M_2 + M_3)^2},$$
 (14)

and we could get the minimum mass of the third body with the orbital inclination of  $i_3 = 90^\circ$ . The  $M_{3 \min}$  of LX Lyn is  $0.06M_{\odot}$ . For LX Lyn, it should be noted that we did not find the third

light during our analysis, so we guess that the tertiary companion might be a low mass M-type star or brown dwarf. For V0853 Aur, the  $M_{3 \min}$  we calculated is about  $3.77M_{\odot}$ . A third light was found during our fitting, so we think that the third body of V0853 Aur could be a massive star.

Usually, for low mass EBs, the timescale of the AML is very long, and it is difficult to become a CEB with a period shorter than 0.22 days (Zhou et al. 2016; Zhang et al. 2019). As discussed by Qian et al. (2015), the magnetic torques from stellar winds could speed up the AML, which is good for the formation of a CEB. Meanwhile, Lu et al. (2020) and Dimitrov & Kjurkchieva (2015) reported that the components of two targets show strong magnetic activities, e.g., the chromospheric emission lines and the stellar spots on the photospheres. We also thought that the third body might extract angular momentum from the central binary system during the early dynamical interaction or late evolution, which could also shorten the time of orbital evolution for these EBs (Liao & Qian 2010; Zhou et al. 2016; Li et al. 2021). So, the orbital shrinkage due to rapid AML may result in the formation of contact systems similar to LX Lyn and V853 Aur.

In addition, we also collect the fundamental parameters of some short-period contact binaries with a third body, and list them in Table 9. From Table 9, it is discovered that many of the components of these systems are late-type stars with a mass less than  $1M_{\odot}$ . Most of these systems are shallow CEBs, and their third bodies are usually low-mass stars, except for V0853 Aur. Another special case is WW Dra, and a study suggested that the mass of its third body is no less than  $6.43M_{\odot}$  (Liao & Qian 2010). More observations (photometric and spectroscopic) are still necessary to verify results in the future.

#### Acknowledgments

This work is partly supported by the Joint Research Fund in Astronomy (grant Nos. U1931101, 42364001) under cooperative agreement between the National Natural Science Foundation of China (NSFC) and Chinese Academy of Sciences (CAS), the National Natural Science Foundation of China (NSFC, Grant No. 11933008), the Guizhou Provincial Science and Technology Foundation (grant Nos. [2020]1Y017, ZK[2022]322), and the Foundation of Education Bureau of Guizhou Province, China (grant No. KY (2020) 003). We acknowledge the support of the staff of the Xinglong 60 and 80 cm telescopes. This work was partially supported by the Open Project Program of the CAS Key Laboratory of Optical Astronomy, National Astronomical Observatories, Chinese Academy of Sciences. This work includes data collected by the TESS mission, and we acknowledge the TESS team for its support.

#### References

Applegate, J. H. 1992, ApJ, 385, 621 Binnendijk, L. 1970, VA, 12, 217

Borkovits, T., Hajdu, T., Sztakovics, J., et al. 2016, MNRAS, 455, 4136 Chang, L.-F., Zhu, L. -Y., & Meng, F.-B. 2023, RAA, 23, 045017 Christian, D. J., Pollacco, D. L., Skillen, I., et al. 2006, MNRAS, 372, 1117 Darwish, M. S., Elkhateeb, M. M., Nouh, M. I., et al. 2017, NewA, 50, 37 Davenport, J. R. A., Becker, A. C., West, A. A., et al. 2013, ApJ, 764, 62 Dimitrov, D. P., & Kjurkchieva, D. P. 2015, MNRAS, 448, 2890 Drake, A. J., Djorgovski, S. G., Garcalvarez, D., et al. 2014, ApJ, 790, 157 Eker, Z., Soydugan, F., Soydugan, E., et al. 2015, AJ, 149, 131 Gazeas, K. D. 2009, CoAst, 159, 129 Green, G. M., Schlafly, E. Z. C., Speagle, J. S., et al. 2019, ApJ, 887, 93 Hoffman, D. I., Harrison, T. E., & McNamara, B. J. 2009, AJ, 138, 466 Irwin, John B. 1952, ApJ, 116, 211 Jiang, D. K., Han, Z. W., Ge, H. W., et al. 2012, MNRAS, 421, 2769 Kjurkchieva, D. P., Popov, V. A., Eneva, Y., et al. 2019, RAA, 19, 14 Lanza, A. F., & Rodonò, M. 1999, A&A, 349, 887 Lanza, A. F., & Rodonò, M. 2002, AN, 323, 424 Lee, J. W., Hong, K., & Koo, J. R. 2016, ApJ, 820, 1 Li, K., Gao, X., Liu, X. Y., et al. 2022, AJ, 164, 202 Li, K., Xia, Q. Q., Kim, C.-H., et al. 2021, AJ, 162, 13 Li, L. F., Han, Z. W., & Zhang, F. H. 2004, MNRA **5**, 355, 1383 Li, L. F., Zhang, F. H., Han, Z. W., & Jiang, D. K. 2007, ApJ, 662, 596 Liao, W. P., & Qian, S. B. 2010, yCat, 1, 74051930L Liao, W. P., Qian, S. B., Shi, X.-D., et al. 2022, ApJ, 927, 183 Lohr, M. E., Norton, A. J., Kolb, U. C., et al. 2013, A&A, 549, 86 Loukaidou, G. A., Gazeas, K. D., Palafouta, S., et al. 2022, MNRAS, 514, 5528 Lu, H. P., Zhang, L. Y., Michel, R., et al. 2020, ApJ, 901, 169 Lucy, L. B. 1967, ZA, 65, 89 Lucy, L. B. 1968, ApJ, 151, 1123 Lucy, L. B. 1973, Ap &SS, 22, 381 Nefs, S. V., Birkby, J. L., Snellen, I. A. G., et al. 2012, MNRAS, 425, 950 Norton, A. J., Payne, S. G., Evans, T., et al. 2011, A&A, 528, 90 O'Connell, D. J. K. 1951, MNRAS, 111, 642 Pribulla, T., & Rucinski, S. M. 2006, AJ, 131, 2986 Qian, S.-B. 2003, MNRAS, 342, 1260 Qian, S. B., He, J. J., Zhang, J., et al. 2017, RAA, 17, 87 Qian, S.-B., Liu, N.-P., Li, K., et al. 2013, ApJS, 209, 13 Qian, S. B., Zhang, J., He, J. J., et al. 2018, ApJS, 235, 5 Qian, S.-B., Zhou, X., Zhu, L.-Y., et al. 2015, AJ, 150, 193 Ruciński, S. M. 1969, AcA, 19, 245 Rucinski, S. M. 1992, AJ, 103, 960 Stępień, K. 2006, AcA, 56, 347 Stępień, K., & Gazeas, K. 2012, AcA, 62, 153 Terrell, D., & Gross, J. 2014, IBVS, 6104, 1T Van Hamme, W. 1993, AJ, 106, 2096V Van Hamme, W., & Wilson, R. E. 2003, ASPC, 298, 323 Van Hamme, W., & Wilson, R. E. 2007, ApJ, 661, 1129 Vant Veer, F. 1979, A&A, 80, 287 Wang, K., Zhang, X., & Deng, L. 2015, ApJ, 805, 22 Wilson, R. E. 1979, ApJ, 234, 1054 Wilson, R. E. 1990, ApJ, 356, 613 Wilson, R. E. 1993, ASPC, 38, 91 Wilson, R. E. 2008, ApJ, 672, 575 Wilson, R. E. 2012, AJ, 144, 73 Wilson, R. E., & Devinney, E. J. 1971, ApJ, 166, 605 Wilson, R. E., & Van Hamme, W. 2014, ApJ, 780, 151 Wilson, R. E., Van Hamme, W., & Terrell, D. 2010, ApJ, 723, 1469 Xu, H. S., Zhu, L. Y., et al. 2022, RAA, 22, 5024 Yang, Y.-G., & Wang, S. 2023, NewA, 98, 101919 Yang, Y.-G., Yang, Y., & Li, S.-Z. 2014, AJ, 147, 145 Yang, Y.-G., Zhang, X.-B., Li, H.-L., et al. 2012, AJ, 144, 136 Zhang, B., Qian, S.-B., Liao, W.-P., et al. 2018a, RAA, 18, 116 Zhang, B., Qian, S.-B., Michel, R., et al. 2018b, RAA, 18, 30 Zhang, B., Qian, S.-B., Wang, J.-J., et al. 2020, RAA, 20, 47 Zhang, B., Qian, S.-B., Zhi, Q.-J., et al. 2019, PASP, 131, 034201

- Zhang, L.-Y., Pi, Q.-F., & Yang, Y.-G. 2014a, MNRAS, 442, 2620
- Zhang, X. B., Deng, L. C., Wang, K., et al. 2014b, AJ, 148, 40
- Zhang, X. D., & Qian, S. B. 2020, MNRAS, 497, 3493
- Zhou, X., Qian, S.-B., Zhang, J., et al. 2016, ApJ, 817, 133
- Zhou, X., & Soonthornthum, B. 2019, PASJ, 71, 39
- Zhou, X., Soonthornthum, B., Qian, S.-B., et al. 2019, MNRAS, 489, 4760